

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
 "Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015 Marine Sanitation Devices

A/S ATLAS BALTORPVEJ 154 DK-2750 BALLERUP COPENHAGEN DENMARK

159.015/2801/0	APPROVED	Type II, Model AWWU Discharge, 9400 GPD capacity.
159.015/2802/0	APPROVED	Type III, Model AWWU Recirculating, 9400 GPD capacity.
159.015/2831/0	APPROVED	Type II, Model AWWU DISCHARGE, 9400 GPD cap, ltd to PRES. EISENHOWER & PRES . ROOSEVELT

APPARATEBAU SALZKOTTEN GMBH POSTFACH 1157 33143 SALZKOTTEN GERMANY

159.015/7701/0	APPROVED	Type II, Model KSAS-50, 8750 LPD capacity for Uninspected Vessels.
159.015/7702/0	APPROVED	Model KSAS-35, 6125 LPD capacity for Uninspected Vessels.
159.015/7703/0	APPROVED	Type II, Model KSAS-10 biocmpt, 1750 LPD capacity, for uninspected vessels.
159.015/7704/0	APPROVED	Type II, Model KSAS-15 biocmpt, 2625 LPD capacity, for uninspected vessels.
159.015/7705/0	APPROVED	Type II, Model KSAS-20 biocmpt, 3500 LPD capacity, for uninspected vessels.
159.015/7706/0	APPROVED	Type II, Model KSAS-25 biocmpt, 4375 LPD capacity, for uninspected vessels.
159.015/7708/0	APPROVED	Type II, Model KSAS-100 biocmp, 17500 capacity, for Uninspected Vessels.
159.015/7709/0	APPROVED	Type II, Model KSAS-300 biocmpt, 52500 capacity, for Uninspected Vessels.
159.015/7711/0	APPROVED	Type II, Model KSAS-200 biocmpt, 35000 capacity, For Uninspected Vessels
159.015/7715/0	APPROVED	Type II Model KSAS-600 biocmpt, 105000 for Uninspected Vessels.
159.015/7716/0	APPROVED	Type II, Model KSAS-800 biocmpt, 140000 capacity, for Uninspected Vessels.

AQUA MAR GMBH ZUM ALTEN WASSERWERK 6 OVERATH/IMMEKEPPEL GERMANY

159.015/9901/0	APPROVED	Type II, Model BIO-UNIT/MSP I, 2.625 CMPD capacity, for inspected vessels.
159.015/9902/0	APPROVED	Type II, Model BIO-UNIT/MSP II, 5.750 CMPD capacity, for inspected vessels.
159.015/9903/0	APPROVED	Type II, Model MSP-25, 1157 GPD capacity.
159.015/9904/0	APPROVED	Type II, Model MSP-III, 1987 GPD capacity.
159.015/9905/0	APPROVED	Type II, Model MSP-60, 2773 GPD capacity.
159.015/9906/0	APPROVED	Type II, Model MSP-80, 13120 LPD capacity.

AQUACHEM I. W. GMBH QUELLENWEG 13 D-5060 BERG GLADBACH 1 (BENSBERG) GERMANY

159.015/9207/0	APPROVED	Type II, Model Aerob "B" 12, 900 LPD capacity.
159.015/9208/0	APPROVED	Type II, Model Aerob "B" 18, 1350 LPD capacity.
159.015/9209/0	APPROVED	Type II, Model Aerob "B" 25, 1875 LPD capacity.
159.015/9210/0	APPROVED	Type II, Model Aerob "B" 35, 2625 LPD capacity.
159.015/9211/0	APPROVED	Type II, Model Aerob "B" 45, 3375 LPD capacity.
159.015/9212/0	APPROVED	Type II, Model Aerob "B" 55, 4125 LPD capacity.
159.015/9213/0	APPROVED	Type II, Model Aerob "B" 75, 5625 LPD capacity.

AQUAMASTER-RAUMA LTD. P.O. BOX 220 RAUMA FINLAND

159.015/6701/0	APPROVED	Type II, Model Unex Bio-20, 20 persons capacity.
159.015/6702/0	APPROVED	Type II, Model Unex Bio-40, 40 persons capacity.
159.015/6703/0	APPROVED	Type II, Model Unex Bio-60, 60 persons capacity.
159.015/6704/0	APPROVED	Type II, Model Unex Bio-80, 80 persons capacity.
159.015/6705/0	APPROVED	Type II, Model Unex Bio-100, 100 persons capacity.
159.015/6706/0	APPROVED	Type II, Model Unex Bio-200, 200 persons capacity.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/6707/0	APPROVED	Type II, Model Unex Bio-400, 400 persons capacity.
159.015/6708/0	APPROVED	Type II, Model Unex Bio-600, 600 persons capacity.
159.015/6709/0	APPROVED	Type II, Model Unex Bio-800, 800 persons capacity.
159.015/6710/0	APPROVED	Type II, Model Unex Bio-1000, 1000 Pers capacity.

B&N SEAPARTNER PO BOX 102-S471 22 SKAERHAMN SWEDEN

159.015/3004/0	APPROVED	Type II, Model Neptumatc MOC-12, 12000 LPD capacity, for uninspected	Vessels.
159.015/3005/0	APPROVED	Type II, Model Neptumatc MOC-20, 20000 LPD capacity, for uninspected	Vessels.
159.015/3006/0	APPROVED	Type II, Model Neptumatc MOC-28, 28000 LPD capacity, for uninspected	Vessels.
159.015/3007/0	APPROVED	Type II, Model Neptumatc RETRO-30, 30000 LPD capacity, for uninspected	Vessels.
159.015/3008/0	APPROVED	Type II, Model Neptumatc MOC-200, 200 CMPD capacity, for uninspected	Vessels.
159.015/3009/0	APPROVED	Type II, Neptumatc Model MOC-130, 13000 CMPD capacity, for uninspected	Vessels.
159.015/3010/0	APPROVED	Type II, Model Neptumatc MOC-50, 50000 CMPD capacity, for uninspected	Vessels.
159.015/3011/0	APPROVED	Type II, Model Neptumatc MOC-150, 150000 CMPD capacity, for uninspected	Vessels.
159.015/3304/0	APPROVED	Type II, Model Neptumatic MOC-12, 1200 certified for uninspected	Vessels.

CAMP LLC 1717 N ILLINOIS SWAN SEA IL 62221

159.015/1018/0	APPROVED	Type III MODEL Ecolet, 3 Liters/Day Certified for Uninspected Vessels.
----------------	----------	--

CHINA STATE SHIPBUILDING LUZHOU MACHINE WORKS PO BOX 3901 NANJING CHINA

159.015/0181/0	APPROVED	Type II Model ST-0, 454 LPD capacity, FOR Uninspected Vessels.
159.015/0182/0	APPROVED	Type II Model ST-1 & ST-1A, 851 LPD capacity, for uninspected vessels.
159.015/0183/0	APPROVED	Type II Model ST-2 & ST-2A, 1362 LPD capacity, for Uninspected Vessels.
159.015/0184/0	APPROVED	Type II Model ST-4 & ST-4A, 2725 LPD capacity, for Uninspected Vessels.
159.015/0185/0	APPROVED	Type II Model ST-6 & ST-6A, 4087 LPD capacity, for Uninspected Vessels.
159.015/0186/0	APPROVED	Type II Model ST-8, 5450 LPD capacity, for Uninspected Vessels.
159.015/0187/0	APPROVED	Type II Model ST-10, 6813 LPD capacity, for Uninspected Vessels.
159.015/0188/0	APPROVED	Type II Model ST-13, 35,594 LPD capacity, for Uninspected Vessels..
159.015/0189/0	APPROVED	Type II Model ST-15, 10,219 LPD capacity, for Uninspected Vessels.
159.015/0190/0	APPROVED	Type II Model ST-20, 13,629 LPD capacity, for Uninspected Vessels.
159.015/0191/0	APPROVED	Type II Model ST-25, 17,032 LPD capacity, for Uninspected Vessels.
159.015/0192/0	APPROVED	Type II Model ST-30, 20,439 LPD capacity, for Uninspected Vessels.
159.015/0193/0	APPROVED	Type II Model ST-60, 42,051 LPD capacity, for uninspected Vessels.
159.015/0194/0	APPROVED	Type II, Model RT-20, 360 GPD capacity.
159.015/0195/0	APPROVED	Type II Model RT-40, 2725 LPD capacity, for Uninspected Vessels.
159.015/0196/0	APPROVED	Type II Model RT-60, 4087 LPD capacity, for Uninspected Vessels.
159.015/0197/0	APPROVED	Type II Model RT-80, 5054 LPD capacity, for Uninspected Vessels.
159.015/0198/0	APPROVED	Type II Model T150S, 10,219 LPD capacity, for uninspected Vessels.
159.015/0199/0	APPROVED	Type II Model ST-3 & ST-3A, 1911 LPD capacity, for Uninspected vessels.

CONTROLES Y EQUIPOS NAVALES, SA BALMES 152 BARCELONA -8 SPAIN

159.015/8902/0	APPROVED	Type II, Model TAR 15P, 32 persons capacity, for inspected vessels.
----------------	----------	---

COPAK SA CAPITAN HAYA 3-5,1 MADRID 20 SPAIN

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/9601/0	APPROVED	Type II, Model MSTP 1, 1370 GPD capacity, for uninspected vessels.
159.015/9602/0	APPROVED	Type II, Model MSTP 2, 2240 GPD capacity, for uninspected vessels.

DEMCO INC PO BOX 94700 845 SE 29TH ST OKLAHOMA CITY OK 73143

159.015/2918/0	APPROVED	Type II, Model WT-10000, 10,000 GPD capacity.
----------------	----------	---

ELECTROLUX-WASCATOR AB ENVIRONMENTAL SYSTEMS DIV GETINGEVERKEN GETINGE SWEDEN

159.015/5501/0	APPROVED	Type III, Model Electrolux, various capacities.
----------------	----------	---

ELSAN LTD BUXTED UCKFIELD EAST SUSSEX UNITED KINGDOM

159.015/3901/0	APPROVED	Type II, Model Type 0086 Discharge, 6810 GPD capacity, for Uninspected	Vessels.
159.015/3902/0	APPROVED	Type III, Model Type 86 Recirculating, 6810 GPD capacity, for Uninspected	Vessels.

ELTECH INTERNATIONAL CORPORATION 1110 INDUSTRIAL BOULEVARD SUGAR LAND TX 77478

159.015/7201/0	APPROVED	Type II, Model Omnipure 6MS and 6MC, 3000 LPD (800 GPD) capacity, for	inspected vessels.
159.015/7202/0	APPROVED	Type II, Model Omnipure 4MS, 1500 LPD (400 GPD) capacity, for inspected	vessels.
159.015/7203/0	APPROVED	Type II, Model Omnipure 12M and 12MC, 14,000 LPD (3600 GPD) capacity, for	inspected vessels.
159.015/7204/0	APPROVED	Type II, Model Omnipure 8MS and 8MC, 7000 LPD (1800 GPD) capacity, for	inspected vessels.
159.015/7205/0	APPROVED	Type II, Model Omnipure 12MX, 28,000 LPD (7500 GPD) capacity, for inspected	vessels.
159.015/7206/0	APPROVED	Type II, Model Omnipure 15MX without baffles, 56,000 LPD (15,000 GPD)	capacity, limited to inspected of
159.015/7207/0	APPROVED	Type II, Model Omnipure 15MX with baffles, 56,000 LPD (15,000 GPD)	capacity, for inspected vessels.
159.015/7208/0	APPROVED	Type II, Model Omnipure 7ME, 4500 LPD capacity, for inspected vessels.	

ENVIROVAC INC 1260 TURRET DR ROCKFORD IL 61111

159.015/1601/0	APPROVED	Type III, Envirovac, various sizes capacity, for Inspected Vessels.
159.015/1602/0	APPROVED	Type III, MV 340-10, 428 liters capacity, for Inspected Vessels.
159.015/1603/0	APPROVED	Type III, Model MV 380-20, 428 liters capacity, for Inspected Vessels.
159.015/1604/0	APPROVED	Type III, Model MV 640-10, 852 liters capacity, for Inspected Vessels.
159.015/1605/0	APPROVED	Type III, Model MV 680-20, 852 liters capacity, for Inspected Vessels.
159.015/1606/0	APPROVED	Type III, Model MV 940-10, 1279 liters capacity, for Inspected Vessels.
159.015/1607/0	APPROVED	Type III, Model MV 980-20, 1279 liters capacity, for Inspected Vessels.
159.015/1608/0	APPROVED	Type III, Model MHSW5-21, 8327 liters capacity, for inspected Vessels.
159.015/1609/0	APPROVED	Type III, Model MV 340-10 VPD, 428 liters capacity, for inspected Vessels.
159.015/1610/0	APPROVED	Type III, Model MV 380-20 VPD, 113 gal. capacity, for inspected Vessels.
159.015/1611/0	APPROVED	Type III, Model MV 640-10 VPD, 852 liters capacity, for inspected Vessels.
159.015/1612/0	APPROVED	Type III, Model MV 680-20 VPD, 852 liters capacity, for inspected Vessels.
159.015/1613/0	APPROVED	Type III, Model MV 940-10 VPD, 1279 liters capacity, for inspected Vessels.
159.015/1614/0	APPROVED	Type III, Model MV 980-20 VPD, 1279 liters capacity, for inspected Vessels.
159.015/1615/0	APPROVED	Type III, Model VSC III.
159.015/6304/1	APPROVED	Type II, Model ORCA II A-36, 4.09 cu. m/day (1080 GPD).
159.015/6305/1	APPROVED	Type II, Model ORCA II A-24, 2.72 cu. m/day (720 GPD).
159.015/6306/1	APPROVED	Type II, Model ORCA IIA -A12, 1.36 cu. m/day (360 GPD).
159.015/6307/0	APPROVED	Type I, Model HGS, 13,000 GPD capacity, limited to the M/V TAKU.
159.015/6308/0	APPROVED	Type II, Models ORCA IIA-165, 18930 Capacity, for Inspected Vessels.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/6309/0	APPROVED	Type II, Model ORCA IIA-330, 37850 cu. m/day (10,000 GPD) capacity, for	Inspected Vessels.
159.015/6310/0	APPROVED	Type II, Model ORCA IIA-500, 56780 capacity, for inspected vessels.	
159.015/6311/0	APPROVED	Type II, Model ORCA IIA-70, 9.46 cu. m/day (2500 GPD capacity, for	inspected vessels.

EXSTAR INTERNATIONAL CORP. 6502 WINDMILL WAY WILMINGTON NC 28405

159.015/1507/0	APPROVED	Type II, Model SS 600 II, 2839 LPD 750 GPD capacity, for inspected vessels.	
159.015/1508/0	APPROVED	Type II, Model SS 630 II, 11355 LPD 3000 GPD capacity, for inspected	vessels.
159.015/1509/0	APPROVED	Type II, Model SS 615, 5110 LPD/1000 GPD capacity, for inspected vessels.	
159.015/1510/0	APPROVED	Type II, Model SS 630 A, 3785 LPD/1000 GPD capacity, for inspected vessels.	
159.015/1511/0	APPROVED	Type II, Model SS 600 C, 750 GPD capacity, for inspected vessels.	
159.015/1512/0	APPROVED	Type II, Model SS 645 II, 17033 LPD/4500 GPD capacity, for inspected	vessels.
159.015/1533/0	APPROVED	Type II, Model SS-40, 151 LPD/40 GPD capacity for uninspected vessels.	
159.015/1534/0	APPROVED	Type II, Model SS-60, 227 lpd/60 GPD capacity for uninspected vessels.	

FAST SYSTEMS 3240 NORTH BROADWAY ST LOUIS MO 63147

159.015/0332/0	APPROVED	Type II, Model Fast L-1, 570 LPD, capacity, for inspected vessels.	
159.015/0341/0	APPROVED	Type II, Model FAST D-1, D-1M, D-1S 3520 LPD capacity for inspected	vessels.
159.015/0342/0	APPROVED	Type II, Model FAST D-2, D-2M,D-2S, 5220 LPD, capacity for Inspected	Vessels.
159.015/0343/0	APPROVED	Type II, Model FAST D3 and D3M, 2440 GPD, capacity for Inspected Vessels.	
159.015/0344/0	APPROVED	Type II, Model FAST D4, D4M,D-4S 11360 LPD, capacity for Inspected Vessels.	
159.015/0345/0	APPROVED	Type II, Model FAST D-5, D-5M, D-5S 14420 LPD, capacity for Inspected	Vessels.
159.015/0346/0	APPROVED	Type II, Model FAST M-1, MX-1 1140 LPD, capacity for Inspected Vessels.	
159.015/0347/0	APPROVED	Type II, Model FAST M-2, MK-2 1700 LPD, capacity for Inspected Vessels.	
159.015/0348/0	APPROVED	Type II, Model FAST M-3, MX-3 2500 LPD, capacity, for Inspected Vessels.	
159.015/0349/0	APPROVED	Type II, Model FAST M-4, MX-4 3290 LPD, capacity for Inspected Vessels.	
159.015/0350/0	APPROVED	Type II, Model FAST M-5, MX-5 4880 LPD, capacity for Inspected Vessels.	
159.015/0364/0	APPROVED	Type II, Model L-10, 6000 GPD capacity.	
159.015/0371/0	APPROVED	Type II, Model FAST D-8 and D-8M, D-8S 46900 LPD, capacity for Inspected	Vessels.
159.015/0372/0	APPROVED	Type II, Model FAST D-6 D-6M, D-6S 19990 LPD, capacity for Inspected	Vessels.
159.015/0373/0	APPROVED	Type II, Model FAST D-7 and D-7M, D-7S 29980 LPD, for Inspected Vessels.	
159.015/0374/0	APPROVED	Type II, Model FAST D-9, D-9M, D-9S 67680 LPD, for Inspected Vessels.	

FORMAT CHEMIE & APPARATE WERNER VON SIEMENS STR 11 D-25479 ELLERAU HAMBURG GERMANY

159.015/6101/0	APPROVED	Type II, Model MSTP 1 5185 LPD capacity for uninspected Vessels.	
159.015/6102/0	APPROVED	Type II, Model MSTP 2, 8480 LPD capacity for uninspected Vessels.	
159.015/6103/0	APPROVED	Type II, Model MSTP 3, 13,475 LPD capacity for uninspected Vessels.	
159.015/6104/0	APPROVED	Type II, Model MSTP 4, 16,505, LGPD capacity for uninspected Vessels.	
159.015/6105/0	APPROVED	Type II, Model MSTP 22,975 LPD, apacity for Uninspected Vessels.	
159.015/6106/0	APPROVED	Type II, Model MSTP 35,470 LPD capacity FOR Uninspected Vessels.	
159.015/6107/0	APPROVED	Type II, Model MSTP 7, 14000 GPD capacity.	
159.015/6108/0	APPROVED	Type II, Model MSTP 8, 39270 GPD capacity.	
159.015/6109/0	APPROVED	Type II, Model MSTP 09, 297,300, LPD capacity for Uninspected Vessels.	
159.015/6110/0	APPROVED	Type II, Quadripart-8, 148,659 LPD, capacity for Uninspected Vessels.	
159.015/6111/0	APPROVED	Type II, Quadripart-9, 297,650 LPD capacity, for uninspected vessels.	

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/6112/0 APPROVED Type II, Model MSTP 1A, 685 GPD capacity, for uninspected vessels.

GALLEY MAID MARINE PRODUCTS PO BOX 10417 RIVIERA BEACH FL 33404

159.015/4001/0 APPROVED Type I, Model Delta Mar Hd 12, 20 GPH capacityfor inspected vessels.

159.015/4002/0 APPROVED Type I, Model Delta Mar Hd 24, 20 GPH capacity for inspected vessels.

159.015/4003/0 APPROVED Type I, Model Delta Mar Hd 32, 20 GPH capacity for inspected vessels.

159.015/4004/0 APPROVED Type I, Model Central Waste Treatment System 12, 332 GPD capacity for inspected vessels.

159.015/4005/0 APPROVED Type I, Model Central Waste Treatment System 24, 332 GPD capacity for inspected vessels.

159.015/4006/0 APPROVED Type I, Model Central Waste Treatment System 32, 332 GPD capacity.

159.015/4007/0 APPROVED Type I, Model Central Waste Treatment System 115, 332 GPD capacity for inspected vessels.

159.015/4008/0 APPROVED Type I, Model Del Mar Hd 115, 20 GPH capacity for inspected vessels.

159.015/4009/0 APPROVED Central Waste Treatment System, 3785 LPD capacity for Inspected vessels.

GOKO SEISAKUSHO CO, LTD NO 5-27-3, SHIMBASHI, MINATO-KU TOKYO, 105 JAPAN

159.015/4901/0 APPROVED Type III, Model TCP-5, 80 flushes capacity, for Uninspected Vessels.

159.015/4902/0 APPROVED Type II, Model AEROBICT TF-25, 1000 LPD capacity, for uninspected vessels.

159.015/4903/0 APPROVED Type II, Model AEROBICT TF-40, 1600 LPD capacity for inspected vessels.

159.015/4904/0 APPROVED Type II, Model AEROBICT TF-50, 2000 LPD capacity, for uninspected vessels.

159.015/4905/0 APPROVED Type II, Model MSTP 7, 14000 GPD capacity.

159.015/4906/0 APPROVED Type II, Model AEROBICT TF-80, 3200 LPD capacity, for Uninspected Vessels.

159.015/4907/0 APPROVED Type II, Model AEROBICT TF-120, 4800 LPD capacity, for Uninspected Vessels.

159.015/4908/0 APPROVED Type III, Model TCP-7M, 2400 LPD capacity for Uninspected Vessels.

159.015/4909/0 APPROVED Type II, Model TFC-20, 3600 LPD capacity for Uninspected Vessels.

159.015/4910/0 APPROVED Type II, Model TFC-40, 4000 LPD capacity for Uninspected Vessels.

159.015/4911/0 APPROVED Type II, Model TFC-60, 2800 LPD capacity for Uninspected Vessels.

159.015/4912/0 APPROVED Type II, TFC-40A, 2780 LPD capacity for Inspected Vessels.

159.015/4913/0 APPROVED Type II, Model AEROBICT TF-150, 6000 LPD capacity.

159.015/4914/0 APPROVED Type II, Model Aerobict TF-200, 8000 LPD capacity, for Uninspected Vessels.

159.015/4915/0 APPROVED Type II, Model Aerobict TF-250, 10000 LPD capacity, for Uninspected vessels.

159.015/4916/0 APPROVED Type II, Model Aerobict TF-300, 12000 LPD capacity, for Uninspected Vessels.

159.015/4917/0 APPROVED Type II, Model Aerobict TF-400, 16000 LPD capacity, for Uninspected Vessels.

159.015/4918/0 APPROVED Type II, Model Aerobict TF-500, 20000 LPD capacity, for Uninspected Vessels.

159.015/4919/0 APPROVED Type II, Model AEROBICT TF-60, 2400 LPD capacity, for Uninspected Vessels.

159.015/4920/0 APPROVED Type II, Model AEROBICT TF-90, 3600 LPD capacity, for Uninspected Vessels.

159.015/4921/0 APPROVED Type II, Model AEROBICT TF-100, 4000 LPD capacity, for Uninspected Vessels.

159.015/4922/0 APPROVED Type II, Model TFC-80, 2800 LPD capacity for Uninspected Vessels.

159.015/4923/0 APPROVED Type II, TFC-15 capacity 525 LPD, for Uninspected Vessels.

159.015/4924/0 APPROVED Type Model TF-10 400 LPD certified for Uninspected Vessels.

GROSS MECHANICAL LABORATORY 7240 STANDARD DR HANOVER MD 21076

159.015/0981/0 APPROVED Type I, Model TP-110, 40 GPD capacity, for uninspected Vessels.

159.015/0982/0 APPROVED Type I, Model TP-120, 40 GPD capacity, for Uninspected Vessels.

159.015/0983/0 APPROVED Type I(II), Model TP-210 Thermopure 175 capacity, for Uninspected Vessels.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

HACETTEPE UNIVERSITY INSTITUTE OF TECHNOLOGY ANKARA TURKEY

159.015/8801/0	APPROVED	Type Model HU-II-43 M3 (formerly HU-2) 4300 LPD capacity, for Uninspected Vessels.
159.015/8802/0	APPROVED	Type II, Model HU-11-1.3 M3 (formerly HU-15) 1300 LPD capacity, for Uninspected Vessels.
159.015/8803/0	APPROVED	Type II, Model HU-11-2.2 M3 (formerly HU-25) 2200 LPD capacity, for Uninspected Vessels.
159.015/8804/0	APPROVED	Type II, Model HU-II-3.0 M3 (formerly HU-35) 3000 LPD capacity, for Uninspected Vessels.

HAMANN WASSERTECHNIK GMBH P O BOX 2201 D-21202 SEEVETAL GERMANY

159.015/6001/0	APPROVED	Type II, Model HL-CONT 4, 25,000 GPD capacity, inspected vessels.
159.015/6002/0	APPROVED	Type II, Model HL-CONT 7, 43,700 GPD capacity, for inspected vessels.
159.015/6003/0	APPROVED	Type II, Model HL-CONT 15, 93,600 GPD capacity, for inspected vessels.
159.015/6004/0	APPROVED	Type II, Model HL-CONT 30, 187,200 GPD capacity, for inspected vessels.
159.015/6005/0	APPROVED	Type II, Model HL-CONT 45, 280,800 GPD capacity, for inspected vessels.
159.015/6008/1	APPROVED	Type II, Model HL-CONT, 1 M3/hr capacity, for Inspected Vessels.

HAMWORTHY CANADA, LTD 113-115 CUSHMAN ROAD ONTARIO ST CATHERINE CANADA

159.015/5902/0	APPROVED	Type II, Model ST-4, 720 GPD capacity.
----------------	----------	--

HAMWORTHY PUMPS & COMPRESSORS LTD FLEETS CORNER DORSET POOLE ENGLAND

159.015/2301/0	APPROVED	Type II, Model ST-2 & ST-2A, 1360 GPD capacity, for inspected vessels.
159.015/2302/0	APPROVED	Type II, Model ST-4 & ST-4A, 2730 GPD capacity, for inspected vessels.
159.015/2303/0	APPROVED	Type II, Model ST-6 & ST-6A, 1080 GPD capacity, for inspected vessels.
159.015/2304/0	APPROVED	Type II, Model ST-8, 5440 GPD capacity, for inspected vessels.
159.015/2305/0	APPROVED	Type II, Model ST-10, 6810 GPD capacity, for inspected vessels.
159.015/2306/0	APPROVED	Type II, Model ST-15, 10220 GPD capacity for Inspected Vessels.
159.015/2307/0	APPROVED	Type II, Model ST-20, 13630 GPD capacity, for inspected vessels.
159.015/2316/0	APPROVED	Type II, Model RT-20, 360 GPD capacity, for inspected vessels.
159.015/2317/0	APPROVED	Type II, Model RT-40, 720 GPD capacity, for inspected vessels.
159.015/2318/0	APPROVED	Type II, Model RT-60, 1080 GPD capacity, for inspected vessels.
159.015/2319/0	APPROVED	Type II, Model RT-80, 1440 GPD capacity, for inspected vessels.
159.015/2320/0	APPROVED	Type II, Model ST-25, 17030, LPD capacity for inspected vessels.
159.015/2321/0	APPROVED	Type II, Model ST-30, 20440, LPD, capacity for inspected vessels.
159.015/2327/0	APPROVED	Type II, Model ST-60, 42060 GPD capacity.
159.015/2328/0	APPROVED	Type II, Model ST-1 & ST-1A, 850 LPD capacity, for inspected vessels.
159.015/2329/0	APPROVED	Type II, Model ST-13, 2400 GPD capacity.
159.015/2331/0	APPROVED	Type II, Model ST 0, 120 GPD capacity.
159.015/2332/0	APPROVED	Type II, Model ST-40, 7484 GPD capacity.
159.015/2333/0	APPROVED	Type II, Model ST3 & ST3A, 1655, LPD capacity, for inspected vessels.
159.015/2334/0	APPROVED	Type II, Model ST-50, 9700 GPD capacity.

HEISHIN PUMP WORKS CO, LTD 527 FURUTA HARIMA-CHO HYOGO PREFECTURE KAKO-GUN JAPAN

159.015/2605/0	APPROVED	Type II, Model Cleardam PS-40N, 780 GPD capacity.
159.015/2606/0	APPROVED	Type II, Model Cleardam PS-80N, 780 GPD capacity.

HUMPHREY MARINE SEWAGE SYS INC. PO BOX 4176 CARLSBAD CA 92014

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/5401/0	APPROVED	Type II, Model 10A, 21800 LPD, for inspected vessels.
159.015/5402/0	APPROVED	Type II, Model 12, 10484 LPD/2770 GPD capacity for inspected vessels.
159.015/5403/0	APPROVED	Type II, Model 10B, 27250 LPD, for inspected vessels.
159.015/5404/0	APPROVED	Type II, Model 10AB, 21800 LPD, for inspected vessels.
159.015/5405/0	APPROVED	Type II, Model 10C, 34000 LPD, for inspected vessels.
159.015/5406/0	APPROVED	Type II, Model 10D, 42240 LPD for inspected vessels.

I S I R SAS DIANTONELLI & CO VIA L CANEPA 16 R DORIA GENOVA 16165 ITALY

159.015/6201/0	APPROVED	Type II, BIOOPURE B/25, capacity 2500 LPD, for Uninspected Vessels.
159.015/6202/0	APPROVED	Type II, BIOOPURE B/50, capacity 2500 LPD, for Uninspected Vessels.
159.015/6203/0	APPROVED	Type II, BIOOPURE B/75, capacity 7500 LPD, for Uninspected Vessels.
159.015/6204/0	APPROVED	Type II, BIOOPURE B/100 capacity 1000 LPD, for Uninspected Vessels.
159.015/6205/0	APPROVED	Type II, BIOOPURE B/125, capacity 12500 LPD, for Uninspected Vessels.
159.015/6206/0	APPROVED	Type II, BIOOPURE B/150, capacity 15000 LPD, for Uninspected Vessels.
159.015/6207/0	APPROVED	Type II, BIOOPURE B/200, capacity 20000 LPD, for Uninspected Vessels.
159.015/6208/0	APPROVED	Type II, Model B/1000, 100,000 LPD capacity.
159.015/6209/0	APPROVED	Type II, Model 2,000 LPD capacity, for uninspected vessels.
159.015/6210/0	APPROVED	Type II, Model B/20, 2,100 LPD capacity for uninspected vessels.
159.015/6211/0	APPROVED	Type II, Model BIOPURE B/250, 25,000 LPD capacity for uninspected Vessels.
159.015/6212/0	APPROVED	type II, Model BIOPURE B/300, 30,000 LPD capacity, for uninspected vessels.
159.015/6213/0	APPROVED	Type II, Model BIOPURE B/400, 40,000 LPD capacity for uninspected vessels.
159.015/6214/0	APPROVED	Type II, Model BIOPURE B/500, 50,000 LPD capacity for inspected vessels.
159.015/6215/0	APPROVED	type II, Model BIOPUREB/600, 60,000 LPD capacity for uninspected vessels.

JERED BROWN BROTHERS, INC P O BOX 904 1608 NEWCASTLE STREET BRUNSWICK GA 31521

159.015/1101/0	APPROVED	Type III, Model 118-I, 1514 LPD/400 GPD capacity FOR uninspected vessels.
----------------	----------	---

K K TESIKA CO, LTD 3-18 NAKAMAGOME 3-CHOME OTA-KU TOKYO 143 JAPAN

159.015/0381/0	APPROVED	Type III, Model Mini-Closet, 2 persons, 7 day capacity.
----------------	----------	---

KYONG CHANG INC. 525 DANGJUNG-DONG GUNPO KYONGKI-DO N KOREA

159.015/0781/0	APPROVED	Type III, MODEL KST-1, 50 1 tk for UNINSPECTED VESSELS.
----------------	----------	---

MARSH ENGINEERING, LTD PLANT NO 3 LAKE ERIE INDUSTRIAL PARK ONTARIO NANTICOKE CANADA

159.015/7301/0	APPROVED	Type II, Model CABOS 45, 6150 LPD capacity, for Uninspected Vessels.
159.015/7302/0	APPROVED	Type II, OS 30, 4100 LPD capacity, for uninspected vessels.

MICROPHOR INC 452 EAST HILL ROAD P O BOX 1460 WILLITS CA 95490

159.015/2501/0	APPROVED	Type II, Model M-8, 2 persons capacity, for inspected vessels.
159.015/2502/0	APPROVED	Type III, Model M-8, 11 LPD capacity, for Inspected Vessels.
159.015/2503/0	APPROVED	Type III, Model M-12, 11 LPD capacity, for Inspected Vessels.
159.015/2504/0	APPROVED	Type II, Model M-14, 37 LPD capacity, for Inspected Vessels.
159.015/2505/0	APPROVED	Type II, Model M-50, 95 LPD capacity, for Inspected Vessels.
159.015/2506/0	APPROVED	Type II, Model M-100, 190 LPD capacity, for Inspected Vessels.
159.015/2507/0	APPROVED	Type II, Model M-150, 284 LPD capacity, for Inspected Vessels.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/2508/0	APPROVED	Type II, Model M-200, 379 LPD capacity, for Inspected Vessels.
159.015/2509/0	APPROVED	Type II, Model M-300, 568 LPD capacity, for Inspected Vessels.
159.015/2510/0	APPROVED	Type II, Model M-500, 946 LPD capacity, for Inspected Vessels.
159.015/2511/0	APPROVED	Type II, Model MC-50, 4730 LPD capacity, for Inspected Vessels.
159.015/2512/0	APPROVED	Model MC-100, 946 LPD capacity, for Inspected Vessels.
159.015/2513/0	APPROVED	Type II, Model MC-150, 1420 LPD capacity, for Inspected Vessels.
159.015/2514/0	APPROVED	Type II, Model MC-200, 1893 LPD capacity, for Inspected Vessels.
159.015/2515/0	APPROVED	Type II, Model MC-300, 2839 LPD capacity, for Inspected Vessels.
159.015/2516/0	APPROVED	Type II, Model MC-500, 4731 LPD capacity, for Inspected Vessels.
159.015/2517/0	APPROVED	Type II, Model M-600, 1136 LPD capacity, for Inspected Vessels,
159.015/2518/0	APPROVED	Type II, Model MC-600, 5678 LPD capacity, for Inspected Vessels.
159.015/2519/0	APPROVED	Type II, Model M-800, 1514 LPD capacity, for Inspected Vessels.
159.015/2520/0	APPROVED	Type II, Model MC-800, 7571 GPD capacity, for Inspected Vessels.
159.015/2521/0	APPROVED	Type II, Model M-1000, 1893 LGPD capacity, for Inspected Vessels.
159.015/2522/0	APPROVED	Type II, Model MC-1000, 1893 LPD capacity, for Inspected Vessels.
159.015/2523/0	APPROVED	Type II, Model M-30, 57 LPD capacity, for Inspected Vessels.
159.015/2524/0	APPROVED	Type II, Model M-40, 76 LPD capacity, for Inspected Vessels.

MISUZU MACHINERY ENGINEERING LTD 2-22, 5-CHOME SAKAEMACHI-DORI CHUO-KU, KOBE JAPAN

159.015/3301/0	APPROVED	Type II, Model MK IV RECIRC, 6815 LPD capacity, for uninspected vessels.
159.015/3302/0	APPROVED	Type II, Model MK IV Flow-thru, 6815 LPD capacity, for uninspected vessels.

MONOGRAM SANITATION A NORTEK COMPANY 4030 FREEMAN BLVD REDONDO BEACH CA 90278

159.015/0206/0	APPROVED	Type III, Model Newmatic II, 80 uses capacity.
----------------	----------	--

NIPPON KOKAN KK 1-1-2 MARUNOU CHI CHIYODAKU TOKYO 100 JAPAN

159.015/6601/0	APPROVED	Type II, Model NKK-25D, 25 persons capacity.
159.015/6602/0	APPROVED	Type II, Model NKK-45D, 45 persons capacity.

NISSIN REFRIGERATION & ENG 1-12-30 MIKUNIHONMACHI YODOGAWA-KU OSAKA JAPAN

159.015/5117/0	APPROVED	Type II, Model NST-20H, 1353 LPD capacity for Uninspected Vessels.
159.015/5118/0	APPROVED	Type II, Model NST-30H, 2005 LPD capacity for Uninspected Vessels.
159.015/5119/0	APPROVED	Type II, Model NST-40H, 2670 LPD capacity for Uninspected Vessels.
159.015/5120/0	APPROVED	Type II, Model NST-25H, 1670 LPD capacity for Uninspected Vessels.

OWENS MFG & SPECIALTY CO P.O. BOX 2443 LAFAYETTE LA 70502

159.015/3801/0	APPROVED	Type II, Model Kleen Tank 1-13, 2365 LPD (625 GPD) capacity for inspected vessels.
159.015/3802/0	APPROVED	Type II, Small Boat Unit A 125 LPD (33 GPD) capacity for Inspected Vessels.
159.015/3803/0	APPROVED	Type II, Small Boat Unit B 288 LPD (76 GPD) capacity, for Inspected Vessels.
159.015/3804/0	APPROVED	Type II, Model Kleen Tank 50-94, 15,140 (4000 GPD) capacity for inspected Vessels.
159.015/3805/0	APPROVED	Type II, Model OW-1546, 5951 LPD capacity for Inspected Vessels.
159.015/3806/0	APPROVED	Type II, Model OW-2500, 9462 LPD capacity for Inspected Vessels.
159.015/3807/0	APPROVED	Type II, OW-3000, 11355, LPD Capacity, for Inspected Vessels.
159.015/3808/0	APPROVED	Type II, OW-3500, 13247 LPD capacity, for Inspected Vessels.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/3809/0	APPROVED	Type II, Small Boat Unit E 908 LPD (240 GPD) capacity, for Inspected Vessels.
159.015/3810/0	APPROVED	Type II, Small Boat Unit F 1363 LPD (360) capacity, for Inspected Vessels.
159.015/3811/0	APPROVED	Type II, Kleen Tank 9462 LPD (2500 GPD) capacity, for Inspected Vessels.
159.015/3812/0	APPROVED	Type II, Kleen Tank 11, 355 LPD (3500 GPD) capacity, for Inspected Vessels.
159.015/3813/0	APPROVED	Type II, Kleen Tank 13,248 LPD (3500 GPD) capacity, for Inspected Vessels.
159.015/3814/0	APPROVED	Type II, Kleen Tank 17,032 LPD (4500 GPD) capacity, for Inspected Vessel.
159.015/3815/0	APPROVED	Type II, Kleen Tank 18,925 LPD (5000 GPD) capacity, for Inspected Vessels.
159.015/3816/0	APPROVED	Kleen Tank 20,818 LPD (5500 GPD) capacity, for Inspected Vessels.
159.015/3817/0	APPROVED	Kleen Tank 22,710 LPD (6000 GPD) capacity, for Inspected Vessels.
159.015/3822/0	APPROVED	Type I(II), Model OW-5000, 18925, LPD for Inspected Vessels.
159.015/3824/0	APPROVED	Type I(II), Model OW-5500, 20817, LPD for Inspected Vessels.
159.015/3825/0	APPROVED	Type I(II), Model OW-6000, 226710, LPD for Inspected Vessels.

OWENS MGF. & SPEC. CO., INC. HWY 92 YOUNGSVILLE LA 70592

159.015/3818/0	APPROVED	Type I(II), Model OW-1546, 5951 LPD, Capacity, certified for Inspected Vessels.
159.015/3819/0	APPROVED	Type I(II), Model OW-2500, 9462 LPD, Capacity, certified for Inspected Vessels.
159.015/3820/0	APPROVED	Type I(II), Model OW-3000, 11355 LPD capacity, certified for Inspected Vessels.
159.015/3821/0	APPROVED	Type I(II), Model OW-3500, 13247 LPD capacity, certified for Inspected Vessels.

PARMATIC POLLUTION CONTROL CORP. 88 FORD ROAD DENVER NJ

159.015/4606/0	APPROVED	Type II, Model STS-II, 75 GPM capacity for inspected vessels.
159.015/4613/0	APPROVED	Type II, Model BIO STS 1000, 1000 GPD capacity for inspected vessels.
159.015/4614/0	APPROVED	Type II, Model BIO STS 500, 500 GPD capacity for inspected vessels.
159.015/4615/0	APPROVED	Type II, Model BIO STS 1500, 1500 GPD capacity for inspected vessels.
159.015/4621/0	APPROVED	Type II, Model DC BIO-STS, 1000 GPD capacity for inspected vessels.
159.015/4622/0	APPROVED	Type II, Model DC BIO-STS, 1500 GPD capacity for inspected vessels.
159.015/4623/0	APPROVED	Type II, Model DC STS-II (C/D), 7.5 GPM capacity for inspected vessels.
159.015/4624/0	APPROVED	Type II, Model DC BIO-STS-500, 500 GPD capacity for inspected vessels.
159.015/4644/0	APPROVED	Type II, Model STS II A/D, 22,050 LPD capacity for inspected vessels.

PAUL PLEIGER MASCHINENFABRIK POSTFACH 3263 5810 WITTEN 3 (HERBEDE) GERMANY

159.015/0282/0	APPROVED	Type II, Model BIOMAT BS-15.
159.015/0284/0	APPROVED	Type II, Model BIOMAT BS-25.

POLLUTION CONTROL ENG, SRI VIA BRUGNATO 11 19026 LA SPEZIA ITALY

159.015/9801/0	APPROVED	Type II, Model BIODISK FVN 30, 1057 GPD capacity for Uninspected Vessels.
159.015/9802/0	APPROVED	Type II, Model BIODISK FVN 60, 2104 GPD capacity, for Uninspected Vessels.
159.015/9803/0	APPROVED	Type II, Model BIODISK FVN 100, 3962 GPD capacity, for Uninspected Vessels.
159.015/9804/0	APPROVED	Type II, Model BIODISK FVN 200, 7925 GPD capacity, for Uninspected Vessels.
159.015/9805/0	APPROVED	Type II, Model BIODISK FVN 300, 11887 GPD capacity, for Uninspected Vessel.

RARITAN ENGINEERING CO INC 530 ORANGE STREET PO BOX 1157 MILLVILLE NJ 08332

159.015/0103/0	APPROVED	Type I, Model Lectra/San LST12, 576 GPD capacity, for uninspected vessels.
159.015/0104/0	APPROVED	Type I, Model Lectra/San LST24, 576 GPD capacity, for uninspected vessels.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/0105/0	APPROVED	Type I, Model Lectra/San LST32, 576 GPD capacity, for uninspected vessels.
159.015/0106/0	APPROVED	Type I, Models PURASAN PST12V, PST 24V and PST 32V, a2180 LPD capacity, for uninspected vessels.

RED FOX ENVIRONMENTAL SERVICE INC P.O. BOX 53809 LAFAYETTE LA

159.015/0601/0	APPROVED	Type II, RF-100-M, 378 LPD (100 GPD) capacity, for Inspected Vessels.	
159.015/0602/0	APPROVED	Type II, RF-200-M, 757 LPD (200 GPD) capacity, for Inspected Vessels.	
159.015/0603/0	APPROVED	Type II, RF-350-M, 1325 LPD (350 GPD) capacity for Inspected Vessels.	
159.015/0604/0	APPROVED	Type II, RF-500-M, 1892 (500 GPD) capacity for Inspected Vessels.	
159.015/0605/0	APPROVED	Type II, RF-750-M, 2839 (750 GPD) capacity for Inspection Vessels.	
159.015/0606/0	APPROVED	Type II, RF-1000-M, 3785 (1000 GPD) capacity for Inspected Vessels.	
159.015/0607/0	APPROVED	Type II, RF-1500-M, 5678 (1500 GPD) capacity for Inspected Vessels.	
159.015/0608/0	APPROVED	Type II, RF-2000-M, 7570 (2000 GPD) capacity for Inspected Vessels.	
159.015/0609/0	APPROVED	Type II, Model RF-2500-M, 9462 LPD (500 GPD) capacity for Inspected	Vessels.
159.015/0610/0	APPROVED	Type II, Model RF-3000-M, 11,355 LPD (3000 GPD) capacity for Inspected	Vessels.
159.015/0611/0	APPROVED	Type II, Model RF-3500-M, 13,248 LPD (3500 GPD) capacity for Inspected	Vessels.
159.015/0612/0	APPROVED	Type II, Model RF-4000-M, 15,140 LPD (4000 GPD) capacity for Inspected	Vessels.
159.015/0613/0	APPROVED	Type II, Model RF-4500-M, 17,1032 LPD (4500 GPD) capacity for Inspected	Vessels.
159.015/0614/0	APPROVED	Type II, Model RF-5000-M, 18,925 LPD (5000 GPD) capacity for Inspected	Vessels.
159.015/0615/0	APPROVED	Type II, Model RF-5500-M, 20,818 LPD (500 GPD) capacity for Inspected	Vessels.
159.015/0616/0	APPROVED	Type II, Model RF-6000-M, 22,710 LPD (6000 GPD) capacity for Inspected	Vessels.
159.015/0617/0	APPROVED	Type II, RF-6500-M, 24,602 LPD (500 GPD) capacity for Inspected Vessels.	
159.015/0618/0	APPROVED	Type II, RF-7000-M, 26,495 LPD (7000 GPD) capacity for Inspected Vessels.	
159.015/0619/0	APPROVED	Type II, RF-7500-M, 28,387 LPD (500 GPD) capacity for Inspected Vessels.	
159.015/0620/0	APPROVED	Type II, Model RF-8000-M, 30,280 LPD (8000 GPD) capacity for Inspected	Vessels.
159.015/0621/0	APPROVED	Type II, Model RF-8500-M, 32,172 LPD (8500 GPD) capacity kfor Inspected	Vessels.
159.015/0622/0	APPROVED	Type II, Model RF-9000-M, 34,065 LPD (9000 GPD) capacity for Inspected	Vessels.
159.015/0623/0	APPROVED	Type II, Model RF-100-M/MOD, 378 LPD (100 GPD) capacity for Uninspected	Vessels.
159.015/0624/0	APPROVED	Type II, Model RF-200-M/MOD, 757 LPD (200 GPD capacity for Uninspected	Vessels.
159.015/0625/0	APPROVED	Type II, Model RF-350-M/MOD, 1325 LPD (350 GPD) capacity for Uninspected	Vessels.
159.015/0626/0	APPROVED	Type II, Model RF-500-M/MOD, 1892 LPD (500 GPD) capacity for Uninspected	Vessels.
159.015/0627/0	APPROVED	Type II, Model RF-750-M/MOD, 2839 LPD (750 GPD) capacity for Uninspected	Vessels.
159.015/0628/0	APPROVED	Type II, Model RF-1000-M/MOD, 3785 LPD (1000 GPD) capacity for Uninspected	Vessels.
159.015/0629/0	APPROVED	Type II, Model RF-1500-M/MOD, 5678 LPD (1500 GPD) for Uninspected Vessels.	
159.015/0630/0	APPROVED	Type II, Model RF-2000-M/MOD, 7570 LPD (2000 GPD) capacity for Uninspected	Vessels.
159.015/0631/0	APPROVED	Type II, Model RF-2500-M/MOD, 9462 LPD (2500 GPD) capacity for Uninspected	Vessels.
159.015/0632/0	APPROVED	Type II, Model RF-3000-M/MOD, 11,355 LPD (2500 GPD) capacity for	Uninspected Vessels.
159.015/0633/0	APPROVED	Type II, Model RF-350-M/S/MOD, 1325 LPD (350 GPD) capacity for Uninspected	Vessels.
159.015/0634/0	APPROVED	Type II, Model RF-500-M/S/MOD, 1892 (500 GPD) capacity for Uninspected	Vessels.
159.015/0635/0	APPROVED	Type II, Model RF-750-M/S/MOD, 2839 LPD (750 GPD) capacity for Uninspected	Vessels.
159.015/0636/0	APPROVED	Type II, Model RF-1000-M/S/MOD, 3785 LPD (1000 GPD) capacity for	Uninspected Vessels.
159.015/0637/0	APPROVED	Type II, Model RF-1500-M/S/MOD, 5678 LPD (1500 GPD) capacity for	Uninspected Vessels.
159.015/0638/0	APPROVED	Type II, Model RF-2000-M/S/MOD, 7570 LPD (2000 GPD) capacity for	Uninspected Vessels.
159.015/0639/0	APPROVED	Type II, Model RF-2500-M/S/MOD, 9462 LPD (2500 GPD) capacity for	Uninspected Vessels.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/0640/0	APPROVED	Type II, Model RF-3000-M/S/MOD, 11,355 Lpd (3000 GPD) capacity for	Uninspected Vessels.
159.015/0642/0	APPROVED	Type II, Model RF-750-C, 2839 LPD (750 GPD cap, ltd to art islands and	fixed struc on OCS.
159.015/0643/0	APPROVED	Type II, Model RF-1000-C, 3785 LPD (1000 GPD) cap, ltd to art islands and	fixed struc on OCS.
159.015/0644/0	APPROVED	Type II, Model RF-1500-C, 5678 LPD (1500 GPD) cap, ltd to art islands and	fixed struc on OCS.
159.015/0645/0	APPROVED	Type II, Model RF-2000-C, 7570 (2000 GPD) cap, ltd to art islands and fixed	struc on OCS.
159.015/0646/0	APPROVED	Type II, Model RF-2500-C, 2500 GPD cap, ltd to art islands and fixed struc	on OCS
159.015/0647/0	APPROVED	Type II, Model RF-3000-C, 11,355 LPD (3000 GPD) cap, ltd to art islands and	fixed struc on OCS.
159.015/0648/0	APPROVED	Type II, Model RF-200-C, 757 LPD (200 GPD) cap, ltd to art islands and	fixed struc on OCS.
159.015/0649/0	APPROVED	Type II, Model RF-3500-C, 13,248 LPD (3500 GPD) cap, ltd to art islands and	fixed struc on OCS.
159.015/0650/0	APPROVED	Type II, Model RF-4000-C, 15,140 LPD (4000 GPD) cap, ltd to art islands and	fixed struc on OCS.
159.015/0651/0	APPROVED	Type II, Model RF-4500-C, 17,032 LPD (4500 GPD) cap, ltd to art islands and	fixed struc OCS.
159.015/0652/0	APPROVED	Type II, Model RF-5000-C, 18,925 (5000 GPD) cap, ltd to art islands and	fixed stru c on OCS.
159.015/0653/0	APPROVED	Type II, Model RF-5500-C, 20,818 (5500 GPD) cap, ltd to art islands and	fixed struc on OCS.
159.015/0654/0	APPROVED	Type II, Model RF-6000-C, 22,710 LPD (6000 GPD) cap, ltd to art islands	and fixed struc on OCS.
159.015/0655/0	APPROVED	Type II, Model RF-6500-C, 24,602 LPD (6500 GPD) cap, ltd to art islands and	fixed struc on OCS.
159.015/0656/0	APPROVED	Type II, Model RF-7000-C, 26,495 LPD (7000 GPD) cap, ltd to art isl ands	and fixed stru c on OCS.
159.015/0657/0	APPROVED	Type II, Model RF-7500-C, 28,387 LPD (7500 GPD) cap, ltd to art islands and	fixed struc on OCS.
159.015/0658/0	APPROVED	Type II, Model RF-9000-C, 34,065 LPD (9000 GPD) cap, ltd to art islands and	fixed struc on OCS.
159.015/0659/0	APPROVED	Type II, Model Little Fox, 200 GPD capacity.	
159.015/0660/0	APPROVED	Type II, Model RF-350-C, 1325 LPD (350 GPD) cap, ltd to art islands and	fixed struc on OCS.
159.015/0661/0	APPROVED	Type II, Model RF-500-C, 1892 (500 GPD) cap, ltd to art islands and fixed	struc on OCS.
159.015/0662/0	APPROVED	Type II, Model Fox Pac FP50, 189 LPD (50 GPD) capacity.	
159.015/0663/0	APPROVED	Type II, Model Fox Pac FP200, 957 LPD (200) GPD capacity.	
159.015/0664/0	APPROVED	Type II, Model Fox Pac FP500, 2392 LPD (500 GPD) capacity.	
159.015/0665/0	APPROVED	Type II, Model Fox Pac FP1000, 3785 LPD (1000 GPD) capacity.	
159.015/0666/0	APPROVED	Type II, Model Fox Pac FP1500, 6177 LPD (1500 GPD) capacity.	
159.015/0667/0	APPROVED	Type II, Model Fox Pac FP2500, 9962 LPD (2500 GPD) capacity.	
159.015/0668/0	APPROVED	Type II, Model Fox Pac FP750, 3338 LPD (750 GPD) capacity.	

RESEARCH PRODUCTS BLANKENSHIP 2639 ANDJON STREET DALLAS TX 75220

159.015/2701/0	APPROVED	Type III, Model Incinolet WB Deluxe, 8 persons capacity, for inspected	Vessels.
----------------	----------	--	----------

SASAKURA ENGINEERING CO LTD 7-32 TAKESHIMA 4-CHOME NISHIYODOGAWA-KU OSAKA 555 JAPAN

159.015/3501/0	APPROVED	Type II, Model ST-2 & ST-2A, 1363 LPD capacity, for Uninspected Vessels.
159.015/3502/0	APPROVED	Type II, Model ST-4 & ST-4A, 720 GPD capacity, for uninspected vessels.
159.015/3503/0	APPROVED	Type II, Model ST-6 & ST-6A, 1080 GPD capacity, for inspected vessels
159.015/3504/0	APPROVED	Type II, Model ST-8, 1440 GPD capacity, for inspected vessels.
159.015/3505/0	APPROVED	Type II, Model ST-10, 1800 GPD capacity, for inspected vessels.
159.015/3506/0	APPROVED	Type II, Model ST-15, 2700 GPD capacity, for inspected vessels.
159.015/3507/0	APPROVED	Type II, Model ST-20, 3600 GPD capacity for inspected vessels.
159.015/3508/0	APPROVED	Type II, Model T-10, 180 GPD capacity, for uninspected vessels.
159.015/3509/0	APPROVED	Type II, Model T-20, 360 GPD capacity, for uninspected vessels.
159.015/3510/0	APPROVED	Type II, Model T-30, 540 GPD capacity, for uninspected vessels.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/3511/0	APPROVED	Type II, Model T-40, 720 GPD capacity, for uninspected vessels.
159.015/3512/0	APPROVED	Type II, Model T-50, 3407 LPD capacity, for Uninspected Vessels.
159.015/3513/0	APPROVED	Type II, Model T-60, 4088 LPD capacity, for Uninspected Vessels.
159.015/3514/0	APPROVED	Type II, Model T-75, 5110 LPD capacity, for Uninspected Vessels.
159.015/3515/0	APPROVED	Type II, Model T-100, 6418 LPD capacity, for Uninspected Vessels.
159.015/3516/0	APPROVED	Type II, Model RT-20, 360 GPD capacity, for Uninspected Vessels.
159.015/3517/0	APPROVED	Type II, Model RT-40, 720 GPD capacity, for uninspected vessels.
159.015/3518/0	APPROVED	Type II, Model RT-60, 1080 GPD capacity, for uninspected vessels.
159.015/3519/0	APPROVED	Type II, Model RT-80, 1440 GPD capacity, for uninspected vessels.
159.015/3520/0	APPROVED	Type II, Model ST-25, 4500 GPD capacity, for uninspected vessels.
159.015/3521/0	APPROVED	Type II, Model ST-30, 5400 GPD capacity, for uninspected vessels.
159.015/3522/0	APPROVED	Type III, Model ST-2R, 20 persons capacity, for uninspected vessels.
159.015/3523/0	APPROVED	Type III, Model ST-4R, 40 persons capacity, for uninspected vessels.
159.015/3524/0	APPROVED	Type III, Model ST-6R, 60 persons capacity, for uninspected vessels.
159.015/3525/0	APPROVED	Type III, Model ST-8R, 80 persons capacity.
159.015/3526/0	APPROVED	Type III, Model ST-10R, 700 persons capacity, for uninspected vessels.
159.015/3527/0	APPROVED	Type III, Model T-10 -RS-10-50, 180 GPD capacity, for uninspected vessels.
159.015/3528/0	APPROVED	Type III, Model T-20-RS-20-100, 360 GPD capacity, for uninspected vessels.
159.015/3529/0	APPROVED	Type III, Model T-30 RS-20-100, 540 GPD capacity, for uninspected vessels.
159.015/3530/0	APPROVED	Type III, Model T-40 -RS-20-100, 720 GPD capacity, for uninspected vessels.
159.015/3531/0	APPROVED	Type III, Model T-50 RS-30-100, 900 GPD capacity for uninspected vessels.
159.015/3532/0	APPROVED	Type III, Model T-60 -RS-30-100, 1080 GPD capacity for uninspected vessels.
159.015/3533/0	APPROVED	Type III, Model T-75 RS-40-100, 1350 GPD capacity fro uninspected vessels.
159.015/3534/0	APPROVED	Type III, Model T-100 RS-40-100, 1800 GPD capacity for uninspected vessels.
159.015/3535/0	APPROVED	Type II, Model ST-2N, 360 GPD capacity for uninspected vessels.
159.015/3536/0	APPROVED	Type II, Model ST-4N, 720 GPD capacity for uninspected vessels.
159.015/3537/0	APPROVED	Type II, Model ST-6N, 1080 GPD capacity for uninspected vessels.
159.015/3538/0	APPROVED	Type II, Model ST-8N, 1440 GPD capacity for uninspected vessels.
159.015/3539/0	APPROVED	Type II, Model ST-10N, 1800 GPD capacity.
159.015/3540/0	APPROVED	Type II, Model ST-15N, 2700 GPD capacity, for inspected vessels.
159.015/3541/0	APPROVED	Type II, Model ST-20N, 3600 GPD capacity, for inspected vessels.
159.015/3542/0	APPROVED	Type II, Model ST-25N, 4500 GPD capacity, for Uninspected vessels.
159.015/3543/0	APPROVED	Type II, Model ST-30N, 5400 GPD capacity, for uninspected vessels.
159.015/3544/0	APPROVED	Type II, Model ST-2A, 1360 1pd capacity, for Uninspected Vessels.
159.015/3545/0	APPROVED	Type II, Model ST-3A, 2310 1pd capacity, for Uninspected Vessels.
159.015/3546/0	APPROVED	Type II, Model ST-4A, 2725 1pd capacity, for Uninspected Vessels.
159.015/3547/0	APPROVED	Type II, Model ST-6A, 4088 1pd capacity, for Uninspected Vessels.
159.015/3548/0	APPROVED	Type II, Model ST-2AN, 1360 1pd capacity, for Uninspected Vessels.
159.015/3549/0	APPROVED	Type II, Model ST-3AN, 2310 1pd capacity, for Uninspected Vessels.
159.015/3550/0	APPROVED	Type II, Model ST-4AN, 2725 ipd capacity, for Uninspected Vessels.
159.015/3551/0	APPROVED	Type II, Model ST-6AN, 4088 1pd capacity, for Uninspected Vessels.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/1402/0	APPROVED	Type III, Model 400 Series, 12-42 gal. capacity, for inspected vesels.
159.015/1404/0	APPROVED	Type III, Model 911-M28, 8.25 gal. capacity, for inspected vessels.
159.015/1406/0	APPROVED	Type III, Model 800 Series, any size capacity, for inspected vessels.
159.015/1411/0	APPROVED	Type I, Model SaanX One, 480 GPD capacity, for inspected vessels.

TAI XING SHIP'S GEAR WORKS

JIANGSU PROVINCE TAI XING COUNTY 225442 CHINA

159.015/0082/0	APPROVED	Type II, Model WCB- 20, 1,540 LPD capacity, for uninspected vessels.
159.015/0881/0	APPROVED	Type II, Model WCB-10, 840 LPD capacity, for uninspected vessels.
159.015/0882/0	APPROVED	Type II, Model WCB-20, 1,540 LPD capacity, for uninspected vessels.
159.015/0883/0	APPROVED	Type II, Model WCB-30, 2,240 LPD capacity, for uninspected vessels.
159.015/0884/0	APPROVED	Type II, Model WCB-40, 3,080 LPD capacity, for uninspected vessels.
159.015/0885/0	APPROVED	Type II, Model WCB-50, 3,780 LPD capacity, for uninspected vessels.
159.015/0886/0	APPROVED	Type II, Model WCB-60, 4,480 LPD capacity, for uninspected vessels.
159.015/0887/0	APPROVED	Type II, Model WCB-80, 5,880 LPD capacity, for uninspected vessels.
159.015/0888/0	APPROVED	Type II, Model WCB-100(S), 7,420 LPD capacity, for uninspected vessels.
159.015/0889/0	APPROVED	Type II, Model WCB-150(S), 10,920 LPD capacity, for uninspected vessels.
159.015/0890/0	APPROVED	Type II, Model WCB-200(S), 14,700 LPD capacity, for uninspected vessels.
159.015/0891/0	APPROVED	Type II, Model WCB-250(S), 18,200 LPD capacity, for uninspected vessels.
159.015/0892/0	APPROVED	Type II, Model WCB-300(S), 21,700 LPD capacity, for uninspected vessels.

TAIKO KIKAI INDUSTRIES, CO.

209 SHIMOTABUSE TABUSE-CHO YAMAGUCHI PREFECTURE KUMAGE-GUN JAPAN

159.015/3201/0	APPROVED	Type II, Model AP-2 Ship Clean, 1200 LPD capacity, for uninspected vessels.
159.015/3202/0	APPROVED	Type II, Model AP-3 Ship Clean, 1800 LPD capacity, for uninspected vessels.
159.015/3203/0	APPROVED	Type II, Model AP-4 Ship Clean, 2400 LPD capacity, for uninspected vessels.
159.015/3204/0	APPROVED	Type II, Model AP-5 Ship Clean, 3000 LPD capacity, for uninspected vessels.
159.015/3205/0	APPROVED	Type II, Model AP-6 Ship Clean, 4500 LPD capacity, for uninspected vessels.
159.015/3206/0	APPROVED	Type III, Model CT-1000 recirc, 1000 l tank, limited to use with AP series MSD.
159.015/3207/0	APPROVED	Type III, Model CT-2000 recirc, 2000 l tank capacity, limited to use with AP series MSD.
159.015/3208/0	APPROVED	Type III, Model CT-3000 recirc, 3000 l tank capacity, limited to use with AP series MSD.
159.015/3209/0	APPROVED	Type III, Model CT-4000 recirc, 4000 l tank capacity, limited to use with AP series MSD.
159.015/3210/0	APPROVED	Type III, Model CT-5000 recirc, 5000 l tank capacity, limited to use with AP series MSD.
159.015/3211/0	APPROVED	Type III, Model CT-6000 recirc, 6000 l tank capacity, limited to use with AP series MSD.
159.015/3212/0	APPROVED	Type III, Model CT-7000 recirc, 7000 l tank capacity, limited to use with AP series MSD.
159.015/3213/0	APPROVED	Type III, Model CT-8000 recirc, 8000 l tank capacity, limited to use with AP series MSD.
159.015/3214/0	APPROVED	Type III, Model CT-9000 recirc, 9000 l tank capacity, limited to use with AP series MSD.
159.015/3215/0	APPROVED	Type III, Model CT-10000 recirc, 10000 l tank capacity, limited to use with AP series MSD.
159.015/3216/0	APPROVED	Type II, Model BFT-40, 100 liters/hr. capacity, for uninspected vessels.
159.015/3217/0	APPROVED	Type III, Model CS-1000 recirc. sys., 1000 l tank cap, ltd to use with BFT- 40 MSD.
159.015/3218/0	APPROVED	Type III, Model CS-2000 recirc. sys., 2000 l tank cap, ltd to use with BFT- 40 MSD.
159.015/3219/0	APPROVED	Type III, Model CS-3000 recirc. sys., 3000 l tank cap, ltd to use with BFT- 40 MSD.
159.015/3220/0	APPROVED	Type III, Model CS-4000 recirc. sys., 4000 l tank cap, ltd to use with BFT- 40 MSD.
159.015/3221/0	APPROVED	Type III, Model CS-5000 recirc. sys., 5000 l tank cap, ltd to use with BFT- 40 MSD.
159.015/3222/0	APPROVED	Type III, Model CS-6000 recirc. sys., 6000 l tank cap, ltd to use with BFT- 40 MSD.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/3223/0	APPROVED	Type III, Model CS-7000 recirc. sys., 7000 l tank cap, ltd to use with BFT-	40 MSD.
159.015/3224/0	APPROVED	Type III, Model CS-8000 recirc. sys., 8000 l tank cap, ltd to use with BFT-	40 MSD.
159.015/3225/0	APPROVED	Type III, Model CS-9000 recirc. sys., 9000 l tank cap, ltd to use with BFT-	40 MSD.
159.015/3226/0	APPROVED	Type III, Model CS-10000 recirc. sys., 10,000 l tank cap, ltd to use with B	FT-40 MSD.
159.015/3227/0	APPROVED	Type II, Model AP-7 Ship Clean, 6000 LPD tank capacity, for uninspected	vessels.
159.015/3228/0	APPROVED	Type II, Model SBT-15, 900 LPD capacity for uninspected vessels.	
159.015/3229/0	APPROVED	Type II, Model SBT-25, 1500 LPD capacity for uninspected vessels.	
159.015/3230/0	APPROVED	Type II, Model SBT-40, 2400 LPD capacity for uninspected vessels.	
159.015/3231/0	APPROVED	Type II, Model SBT-65, 3900 LPD capacity for uninspected vessels.	
159.015/3232/0	APPROVED	Type III, Model CU-1000 recirc, 1000 l tank capacity, use with SBT series	MS.
159.015/3233/0	APPROVED	Type III, Model CU-2000 recirc, 2000 L tank capacity, limited to use with	SBT series MSD.
159.015/3234/0	APPROVED	Type III, Model CU-3000 recirc, 3000 L tank capacity, limited to use with	SBT series MSD.
159.015/3235/0	APPROVED	Type III, Model CU-4000 recirc, 4000 L tank capacity, limited to use with	SBT series MSD.
159.015/3236/0	APPROVED	Type III, Model CU-5000 recirc, 5000 L tank capacity, limited to use with	SBT series MSD.
159.015/3237/0	APPROVED	Type III, Model CU-6000 recirc, 6000 L tank capacity, limited to use with	SBT series MSD.
159.015/3238/0	APPROVED	Type III, Model CU-7000 recirc, 7000 L tank capacity, limited to use with	SBT series MSD.
159.015/3239/0	APPROVED	Type III, Model CU-8000 recirc, 8000 L tank capacity, limited to use with	SBT series MSD.
159.015/3240/0	APPROVED	Type III, Model CU-9000 recirc, 9000 L tank capacity, limited to use with	SBT series MSD.
159.015/3241/0	APPROVED	Type III, Model CU-10000 recirc, 10000 L tank capacity, limited to use with	SBT series MSD.
159.015/3242/0	APPROVED	Type II, Model SBT-120, 7200 LPD capacity, for uninspected vessels.	
159.015/3243/0	APPROVED	Type II, Model SBT-150 90001 LPD uninspected Vessels	

WASSERBEHANDLUNG MERSEBURG GMBH AMTSHAUER 23-29 4200 MERSEBURG 2500 GERMANY

159.015/9501/0	APPROVED	Type II, Model KA-MR 1.5 S 50 B, 4.25 CMPD capacity, for uninspected	vessels.
159.015/9502/0	APPROVED	Type II, Model KA-MR 1.5 S 50 C, 5.0 CMPD capacity, for uninspected	vessels.
159.015/9503/0	APPROVED	Type II, Model KA-MR 1.5 S 50-1/E, 2.0 CMPD capacity, for uninspected	vessels.

WEIR PUMPS LTD CATHCART WORKS SCOTLAND GLASGOW UNITED KINGDOM

159.015/5701/0	APPROVED	Type II, Biomac 1, 1180 LPD capacity for Uninspected Vessels.
159.015/5702/0	APPROVED	Type II, Model Biomac 2, 2270 LPD capacity for Uninspected Vessels.
159.015/5703/0	APPROVED	Type II, Model Biomac 3, 5703 LPD capacity for Inspected Vessels.
159.015/5704/0	APPROVED	Type II, Model ThermoBiomac 3T, 3450 LPD capacity for Uninspected Vessels.
159.015/5705/0	APPROVED	Type II, Model Biomac 4, 4540 LPD capacity for Uninspected Vessels.
159.015/5706/0	APPROVED	Type II, Model ThermoBiomac 4T, 4540 LPD capacity for Uninspected Vessels.
159.015/5707/0	APPROVED	Type II, Model Biomac 5, 5720 LPD capacity for Uninspected Vessels.
159.015/5708/0	APPROVED	Type II, Model ThermoBiomac 5T, 5720 LPD capacity for Uninspected Vessels.
159.015/5709/0	APPROVED	Type II, Model Biomac 6, 8540 LPD capacity for Uninspected Vessels.
159.015/5710/0	APPROVED	Type II, Model ThermoBiomac 6T, 8540 LPD capacity for Uninspected Vessels.
159.015/5711/0	APPROVED	Type II, Model Biomac 7, 11360 LPD capacity for Uninspected Vessels.
159.015/5712/0	APPROVED	Type II, Model ThermoBiomac 7T, 3000 GPD capacity.
159.015/5713/0	APPROVED	Type II, 8, 14170 LPD capacity for Uninspected Vessels.
159.015/5714/0	APPROVED	Type II, Model ThermoBiomac 8T, 3744 GPD capacity.
159.015/5715/0	APPROVED	Type II, Model Biomac 9, 17080 LPD capacity for Uninspected Vessels.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/5716/0	APPROVED	Type II, Model ThermoBiomac 9T, 17080 LPD capacity for Uninspected	Vessels.
159.015/5717/0	APPROVED	Model Biomac 10, 22710 LPD capacity for Uninspected Vessels.	
159.015/5718/0	APPROVED	Model ThermoBiomac 10T, 22710 LPD capacity for Uninspected Vessels.	
159.015/5719/0	APPROVED	Model Biomac 11, 28440 LPD capacity FOR Uninspected Vessels.	
159.015/5720/0	APPROVED	Type II, Model ThermoBiomac 11T, 28440 LPD capacity for Uninspected	Vessels.
159.015/5721/0	APPROVED	Type II, Model Biomac 12, 34070 LPD capacity for Uninspected Vessels.	
159.015/5722/0	APPROVED	Type II, Model ThermoBiomac 12T, 34070 LPD capacity for Uninspected	Vessels.
159.015/5723/0	APPROVED	Type II, Model Biomac 145420 LPD capacity For Uninspected Vessels.	
159.015/5724/0	APPROVED	Type II, Model ThermoBiomac 13T, 45420 LPD capacity for Uninspected	Vessels.
159.015/5725/0	APPROVED	Type II, Model Biomac 14, 56780 LPD capacity for Uninspected Vessels.	
159.015/5726/0	APPROVED	Type II, Model ThermoBiomac 14T, 56780 LPD capacity for Uninspected	Vessels.

AMERICAN STANDARD 415 HAMBURG TURNPIKE WAYNE NJ 07470

159.015/7401/0	FORMER-MAY USE	Type II, Model Standard V, 20 UPD capacity.
159.015/7402/0	FORMER-MAY USE	Type I, Model Standard I, 20 UPD capacity.
159.015/7403/0	FORMER-MAY USE	Type II, Model Standard II, 150 Flush capacity.

AQUACHEM I. W. GMBH QUELLENWEG 13 D-5060 BERG GLADBACH 1 (BENSBERG) GERMANY

159.015/9201/0	FORMER-MAY USE	Type II, Model Aerob 12, 2100 LPD capacity.
159.015/9202/0	FORMER-MAY USE	Type II, Model Aerob 18, 3150 LPD capacity.
159.015/9203/0	FORMER-MAY USE	Type II, Model Aerob 25, 4375 LPD capacity.
159.015/9204/0	FORMER-MAY USE	Type II, Model Aerob 35, 6125 LPD capacity.
159.015/9205/0	FORMER-MAY USE	Type II, Model Aerob 45, 7875 LPD capacity.
159.015/9206/0	FORMER-MAY USE	Type II, Model Aerob 55, 9625 LPD capacity.

AQUAMASTER-RAUMA LTD. P.O. BOX 220 RAUMA FINLAND

159.015/6711/0	FORMER-MAY USE	Type II, Model Unex Bio Sectnl, unknown capacity.
----------------	----------------	---

ARIES IND. & NAVAL SERVICE, S. A. EDIFICIO GERMANIA GUZMAN EL BUENO MADRID SPAIN

159.015/6801/0	FORMER-MAY USE	Type II, Model 0086 Flowthrough, 1800 GPD capacity, for inspected vessels.
159.015/6802/0	FORMER-MAY USE	Type III, Model 0086 Recirculating, 1800 GPD capacity, for uninspected vessels.

B&N SEAPARTNER PO BOX 102-S471 22 SKAERHAMN SWEDEN

159.015/3001/0	FORMER-MAY USE	Type II, Model Neptumatic 90/90-30, 3740 GPD capacity.
159.015/3002/0	FORMER-MAY USE	Type II, Model Neptumatic 90/90-50, 6240 GPD capacity.
159.015/3003/0	FORMER-MAY USE	Type II, Model Neptumatic 90/90-70, 8340 GPD capacity.

BAYLOR COMPANY PO BOX 36323 HOUSTON TX 77036

159.015/3701/0	FORMER-MAY USE	Type I, Model Lykes SMSD, 15000 GPD capacity, limited to vessels listed in	letter.
159.015/3702/0	FORMER-MAY USE	Type I, Model Filteron 490, 500 GPD capacity.	
159.015/3703/0	FORMER-MAY USE	Type I, Model Filteron 3990, 4000 GPD capacity.	
159.015/3704/0	FORMER-MAY USE	Type I, Model Filteron 2490, 2500 GPD capacity.	
159.015/3705/0	FORMER-MAY USE	Type I, Model Amer. Exp. SMSD, 11500 GPD capacity.	
159.015/3706/0	FORMER-MAY USE	Type I, Model MSD 1000 S, 1000 GPD capacity.	
159.015/3707/0	FORMER-MAY USE	Type I, Model MSD 1000, 1000 GPD capacity.	

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

CADAGUA, SA MAYOR 23, APARTADO 47 LAS ARENAS-GUECHO VIZCAYA

159.015/4701/0 FORMER-MAY USE Type II, Model Oxitotal-o, 2500 GPD capacity, for uninspected vessels.

CEET AEROBIC SYSTEMS 3601 SWANN AVENUE TAMPA FL 33609

159.015/5201/0 FORMER-MAY USE Type III, Model 600, 3 persons capacity.

CITEX-GASTECHNIK MACHINENBAU POSTFACH 710424 2 HAMBURG 71 GERMANY

159.015/4301/0 FORMER-MAY USE Type II, Model CEAK 35/50, 3100 GPD capacity.

CONSECO, INC 611 NORTH ROAD MEDFORD WI 54451

159.015/8101/0 FORMER-MAY USE Type II, Model ST-2, 360 GPD capacity.
159.015/8102/0 FORMER-MAY USE Type II, Model ST-4, 720 GPD capacity.
159.015/8103/0 FORMER-MAY USE Type II, Model ST-6, 1080 GPD capacity.
159.015/8104/0 FORMER-MAY USE Type II, Model ST-8, 1440 GPD capacity.
159.015/8105/0 FORMER-MAY USE Type II, Model ST-10, 1800 GPD capacity.
159.015/8106/0 FORMER-MAY USE Type II, Model RT-20, 360 GPD capacity.
159.015/8107/0 FORMER-MAY USE Type II, Model RT-40, 720 GPD capacity.
159.015/8108/0 FORMER-MAY USE Type II, Model RT-60, 1080 GPD capacity.
159.015/8109/0 FORMER-MAY USE Type II, Model RT-80, 1440 GPD capacity.
159.015/8110/0 FORMER-MAY USE Type II, Model ST-1, 225 GPD capacity.

CONTROLES Y EQUIPOS NAVALES, SA BALMES 152 BARCELONA -8 SPAIN

159.015/8901/0 FORMER-MAY USE Type II, Model TAR 10P, 24 persons capacity, for inspected vessels.
159.015/8903/0 FORMER-MAY USE Type II, Model TAR 20P, 48 persons capacity, for inspected vessels.
159.015/8904/0 FORMER-MAY USE Type II, Model TAR 30P, 64 persons capacity, for inspected vessels.
159.015/8905/0 FORMER-MAY USE Type II, Model TAR 40P, 80 persons capacity, for inspected vessels.
159.015/8906/0 FORMER-MAY USE Type II, Model TAR 50P, 100 persons capacity, for inspected vessels.
159.015/8907/0 FORMER-MAY USE Type II, Model TAR 60P, 120 persons capacity, for inspected vessels.
159.015/8908/0 FORMER-MAY USE Type II, Model TAR 70P, 140 persons capacity, for inspected vessels.
159.015/8909/0 FORMER-MAY USE Type II, Model TAR 80P, 160 persons capacity, for inspected vessels.
159.015/8910/0 FORMER-MAY USE Type II, Model TAR 100P, 240 persons capacity, for inspected vessels.
159.015/8911/0 FORMER-MAY USE Type II, Model TAR 150P, 320 persons capacity, for inspected vessels.
159.015/8912/0 FORMER-MAY USE Type II, Model TAR 200P, 400 persons capacity, for inspected vessels.
159.015/8913/0 FORMER-MAY USE Type II, Model TAR 250P, 560 persons capacity, for inspected vessels.
159.015/8914/0 FORMER-MAY USE Type II, Model TAR 350P, 720 persons capacity, for inspected vessels.
159.015/8915/0 FORMER-MAY USE Type II, Model TAR 450P, 900 persons capacity.
159.015/8916/0 FORMER-MAY USE Type II, Model TAR 550P, 1100 persons capacity, for inspected vessels.
159.015/8917/0 FORMER-MAY USE Type II, Model TAR 650P, 1300 persons capacity, for inspected vessels.
159.015/8918/0 FORMER-MAY USE Type II, Model TAR 750P, 1500 persons capacity, for inspected vessels.
159.015/8919/0 FORMER-MAY USE Type II, Model TAR 850P, 1700 persons capacity, for inspected vessels.
159.015/8920/0 FORMER-MAY USE Type II, Model TAR 1000P, 2000 persons capacity, for inspected vessels.

COPAK SA CAPITAN HAYA 3-5,1 MADRID 20 SPAIN

159.015/9603/0 FORMER-MAY USE Type II, Model MSTP 3, 3460 GPD capacity, for uninspected vessels.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/9604/0	FORMER-MAY USE	Type II, Model MSTP 4, 4360 GPD capacity, for uninspected vessels.
159.015/9605/0	FORMER-MAY USE	Type II, Model MSTP 5, 6070 GPD capacity, for uninspected vessels.
159.015/9606/0	FORMER-MAY USE	Type II, Model MSTP 6, 9370 GPD capacity, for uninspected vessels.
159.015/9607/0	FORMER-MAY USE	Type II, Model MSTP 7, 14000 GPD capacity, for uninspected vessels.
159.015/9608/0	FORMER-MAY USE	Type II, Model MSTP 8, 39270 GPD capacity, for uninspected vessels.
159.015/9609/0	FORMER-MAY USE	Type II, Model MSTP 9, 78540 GPD capacity, for uninspected vessels.
159.015/9610/0	FORMER-MAY USE	Type II, Model Quadripart-8, 39270 GPD capacity, for uninspected vessels.
159.015/9611/0	FORMER-MAY USE	Type II, Model Quadripart-9, 78540 GPD capacity, for uninspected vessels.

DANFORTH 500 RIVERSIDE IND PKWY PORTLAND ME 04103

159.015/0902/0	FORMER-MAY USE	Type I, Model D 1000, 8 UPH capacity.
159.015/0906/0	FORMER-MAY USE	Type I, Model D 1000 EP, 8 UPH capacity.
159.015/0907/0	FORMER-MAY USE	Type I, Model D 1000 RP, 8 UPH capacity.
159.015/0908/0	FORMER-MAY USE	Type I, Model System 2000, unknown capacity.
159.015/0909/0	FORMER-MAY USE	Type I, Model MSD, 4 persons capacity.

DEMCO INC PO BOX 94700 845 SE 29TH ST OKLAHOMA CITY OK 73143

159.015/2901/0	FORMER-MAY USE	Type II, Model WT-325, 325 GPD capacity.
159.015/2902/0	FORMER-MAY USE	Type II, Model WT-625, 625 GPD capacity.
159.015/2903/0	FORMER-MAY USE	Type II, Model WT-1000, 1000 GPD capacity.
159.015/2904/0	FORMER-MAY USE	Type II, Model WT-1250, 1250 GPD capacity.
159.015/2905/0	FORMER-MAY USE	Type II, Model WT-1565, 1565 GPD capacity.
159.015/2906/0	FORMER-MAY USE	Type II, Model WT-1875, 1875 GPD capacity.
159.015/2907/0	FORMER-MAY USE	Type II, Model WT-2200, 2200 GPD capacity.
159.015/2908/0	FORMER-MAY USE	Type II, Model WT-2500, 2500 GP D capacity.
159.015/2909/0	FORMER-MAY USE	Type II, Model WT-2815, 2815 GPD capacity.
159.015/2910/0	FORMER-MAY USE	Type II, Model WT-3125, 3125 GPD capacity.
159.015/2911/0	FORMER-MAY USE	Type II, Model WT-3750, 3750 GPD capacity.
159.015/2912/0	FORMER-MAY USE	Type II, Model WT-5000, 5000 GPD capacity.
159.015/2913/0	FORMER-MAY USE	Type II, Model WT-5000, 5000 GPD capacity, limited to D/S\GLOMAR PACIFIC.
159.015/2914/0	FORMER-MAY USE	Type II, Model WT-6000, 6000 GPD capacity.
159.015/2915/0	FORMER-MAY USE	Type II, Model WT-7000, 7000 GPD capacity.
159.015/2916/0	FORMER-MAY USE	Type II, Model WT-8000, 8000 GPD capacity.
159.015/2917/0	FORMER-MAY USE	Type II, Model WT-9000, 9000 GPD capacity.
159.015/2919/0	FORMER-MAY USE	Type II, Model WT-5000 Mod, 5000 GPD capacity.
159.015/2920/0	FORMER-MAY USE	Type II, Model WT-1250P, 1250 GPD capacity.
159.015/2921/0	FORMER-MAY USE	Type II, Model WT-2200P, 2200 GPD capacity.
159.015/2922/0	FORMER-MAY USE	Type II, Model WT-6000P, 6000 GPD capacity.
159.015/2923/0	FORMER-MAY USE	Type II, Model WT-7000P, 7000 GPD capacity.

DIA-PROSIM, MARINE SERVICE DPT. OF WATER COND., 107 RUE EDITH C'AVEL 94400 VITRY-SUR-SEINE FRANCE

159.015/9701/0	FORMER-MAY USE	Type II, Model 20 A, 792 GPD capacity, for uninspected vessels.
159.015/9702/0	FORMER-MAY USE	Type II, Model 20 B, 1585 GPD capacity, for uninspected vessel.
159.015/9703/0	FORMER-MAY USE	Type II, Model 30 A, 1188 GPD capacity, for uninspected vessels.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/9704/0	FORMER-MAY USE	Type II, Model 30 B, 2377 GPD capacity, for uninspected vessels.
159.015/9705/0	FORMER-MAY USE	Type II, Model 40 A, 1585 GPD capacity, for uninspected vessels.
159.015/9706/0	FORMER-MAY USE	Type II, Model 40 B, 3170 GPD capacity, for uninspected vessels.
159.015/9707/0	FORMER-MAY USE	Type II, Model 50 A, 1981 GPD capacity, for uninspected vessels.
159.015/9708/0	FORMER-MAY USE	Type II, Model 50 B, 3693 GPD capacity, for uninspected vessels.
159.015/9709/0	FORMER-MAY USE	Type II, Model 60 A, 2377 GPD capacity, for uninspected vessels.
159.015/9710/0	FORMER-MAY USE	Type II, Model 60 B, 4755 GPD capacity, for uninspected vessels.
159.015/9711/0	FORMER-MAY USE	Type II, Model 75 A, 26813 GPD capacity, for uninspected vessels.
159.015/9712/0	FORMER-MAY USE	Type II, Model 75 B, 53626 GPD capacity, for uninspected vessels.

DRAVO CORPORATION NEVILLE ISLAND PITTSBURGH PA 15225

159.015/3101/0	FORMER-MAY USE	Type III, Model Stack Injection Sys., 360 GPD capacity.
----------------	----------------	---

DREXEL EQUIPMENT, LTD WALDRON ROAD SCOTLAND MONTROSE, ANGUS UNITED KINGDOM

159.015/8501/0	FORMER-MAY USE	Type II, Model WT-325, 325 GPD capacity, for Uninspected Vessels.
159.015/8502/0	FORMER-MAY USE	Type II, Model WT-625, 625 GPD capacity, for Uninspected Vessels.
159.015/8503/0	FORMER-MAY USE	Type II, Model WT-1000, 1000 GPD capacity, for Uninspected Vessels.
159.015/8504/0	FORMER-MAY USE	Type II, Model WT-1250, 1250 GPD capacity, for Uninspected Vessels.
159.015/8505/0	FORMER-MAY USE	Type II, Model WT-1565, 1565 GPD capacity, for Uninspected Vessels.
159.015/8506/0	FORMER-MAY USE	Type II, Model WT-1875, 1875 GPD capacity, for Uninspected Vessels.
159.015/8507/0	FORMER-MAY USE	Type II, Model WT-2200, 2200 GPD capacity, for uninspected vessels.
159.015/8508/0	FORMER-MAY USE	Type II, Model WT-2500, 2500 GPD capacity, for uninspected vessels.
159.015/8509/0	FORMER-MAY USE	Type II, Model WT-2815, 2815 GPD capacity, for Uninspected Vessels.
159.015/8510/0	FORMER-MAY USE	Type II, Model WT-3125, 3125 GPD capacity, for Uninspected Vessels.
159.015/8511/0	FORMER-MAY USE	Type II, Model WT-3750, 3750 GPD capacity, for Uninspected Vessels.
159.015/8512/0	FORMER-MAY USE	Type II, Model WT-5000, 5000 GPD capacity, for uninspected vessels.
159.015/8513/0	FORMER-MAY USE	Type II, Model WT-6000, 6000 GPD capacity, for Uninspected Vessels.
159.015/8514/0	FORMER-MAY USE	Type II, Model WT-7000, 7000 GPD capacity, for Uninspected Vessels.
159.015/8515/0	FORMER-MAY USE	Type II, Model WT-8000, 8000 GPD capacity, for Uninspected Vessels.
159.015/8516/0	FORMER-MAY USE	Type II, Model WT-9000, 9000 GPD capacity, for Uninspected Vessels.
159.015/8517/0	FORMER-MAY USE	Type II, Model WT-10000, 10000 GPD capacity, for uninspected vessels.
159.015/8518/0	FORMER-MAY USE	Type II, Model WT-12000, 12500 GPD capacity, for Uninspected Vessels.
159.015/8519/0	FORMER-MAY USE	Type II, Model Freedom Vessel, Retrofit capacity, for Uninspected Vessels.
159.015/8520/0	FORMER-MAY USE	Type II, Model Fortune Vessel, Retrofit capacity, for uninspected vessels.

ENRIQUE LORENZO Y CIA FACTORIAS VULCANO APARTADO 1507 VIGO

159.015/8601/0	FORMER-MAY USE	Type II, Model CP 20, 750 GPD capacity.
159.015/8602/0	FORMER-MAY USE	Type II, Model CP 30, 1125 GPD capacity.
159.015/8603/0	FORMER-MAY USE	Type II, Model CP 40, 1500 GPD capacity.
159.015/8604/0	FORMER-MAY USE	Type II, Model CP 50, 1875 GPD capacity.
159.015/8605/0	FORMER-MAY USE	Type II, Model CP 65, 2433 GPD capacity.
159.015/8606/0	FORMER-MAY USE	Type II, Model CP 80, 2995 GPD capacity.

ENVIROVAC INC 1260 TURRET DR ROCKFORD IL 61111

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/6301/0	FORMER-MAY USE	Type I, Model Mark 1 MSD, 240 GPD capacity.
159.015/6302/0	FORMER-MAY USE	Type I, Model ORCA I-20(M0.5), 240 GPD capacity, for inspected vessels.
159.015/6303/0	FORMER-MAY USE	Type I, Model ORCA I-12(M.25), 12 persons capacity for inspected vessels.

EXSTAR INTERNATIONAL CORP. 6502 WINDMILL WAY WILMINGTON NC 28405

159.015/0801/0	FORMER-MAY USE	Type I, Model MSS-PT, 4000 GPD capacity.
159.015/0802/0	FORMER-MAY USE	Type I, Model MTT-3, 1000 GPD capacity.
159.015/0803/0	FORMER-MAY USE	Type I, Model MTT-4, 1000 GPD capacity.
159.015/0804/0	FORMER-MAY USE	Type I, Model MTT-3-1, unknown capacity, limited to NOAA vsl ALBA TROSS IV.
159.015/0805/0	FORMER-MAY USE	Type I, Model MTT-3-2, unknown capacity, limited to M/V ITALICA & AMERICA.
159.015/1501/0	FORMER-MAY USE	Type III, Model Sanirator 57P5E, 12 persons capacity.
159.015/1502/0	FORMER-MAY USE	Type III, Model Sanirator 57P2E, 12 persons capacity.
159.015/1503/0	FORMER-MAY USE	Type III, Model Sanirator 57P9E, 12 persons capacity.
159.015/1504/0	FORMER-MAY USE	Type III, Model Sanirator 57F5E, 12 persons capacity.
159.015/1505/0	FORMER-MAY USE	Type III, Model Sanihead #6, 22 flushes capacity.
159.015/1506/0	FORMER-MAY USE	Type I, Model SS 600 I, 750 GPD capacity.
159.015/1513/0	FORMER-MAY USE	Type I, Model MTT-4, unknown capacity, limited to M/V EUGENIO C.
159.015/1514/0	FORMER-MAY USE	Type I, Model MTT-4 I VAR, 192,500 GPD capacity, limited to M/VITALIA.
159.015/1515/0	FORMER-MAY USE	Type I, Model MTT-4 I VAR, 27,000 GPD capacity, limited to M/VSTELLA MARIS .
159.015/1516/0	FORMER-MAY USE	Type I, Model MTT-4 I VAR, 90,000 GPD capacity, limited to M/VSTELLA SOLAR IS.
159.015/1517/0	FORMER-MAY USE	Type I, Model MTT-4 I VAR, 510,000 GPD capacity, limited to M/VQUEEN ELIZA BETH 2.
159.015/1518/0	FORMER-MAY USE	Type I, Model MTT-4 I VAR, 103,250 GPD capacity, limited to M/VGALILEO GAL ILEI.
159.015/1519/0	FORMER-MAY USE	Type I, Model MTT-4 I VAR, 85,950 GPD capacity, limited to M/VGALILEO MARC ONI.
159.015/1520/0	FORMER-MAY USE	Type I, Model MTT-4 I VAR, 127,500 GPD capacity, limited to M/VJUPITOR.
159.015/1521/0	FORMER-MAY USE	Type I, Model MTT-4 I VAR, 297,000 GPD capacity, limited to M/VMERMOZ.
159.015/1522/0	FORMER-MAY USE	Type I, Model MTT-4 I VAR, 262,000 GPD capacity, limited to M/VWORLD RENAI SSANCE.
159.015/1523/0	FORMER-MAY USE	Type I, Model MTT-4 I VAR, 157,500 GPD capacity, limited to M/VOCEANUS.
159.015/1524/0	FORMER-MAY USE	Type I, Model MTT-4 I VAR, 210,000 GPD capacity, li mited to M/VCOUNTESS.
159.015/1525/0	FORMER-MAY USE	Type I, Model MTT-4 I VAR, 210,000 GPD capacity, limited to M/VPRINCESS.
159.015/1526/0	FORMER-MAY USE	Type I, Model MTT-4, unknown capacity, limited to M/VMEDOFORA.
159.015/1527/0	FORMER-MAY USE	Type I, Model MTT-4, unknown capacity, limited to M/VAMERICAN ARROW.
159.015/1528/0	FORMER-MAY USE	Type I, Model MTT-4, unknown capacity, limited to M/VSEATRIN BUNKER HL.
159.015/1529/0	FORMER-MAY USE	Type II, Model MTT-3-3, unknown capacity, limited to M/VDaRECCO, M/VSEATR AIN C.
159.015/1530/0	FORMER-MAY USE	Type I, Model MTT-3-3, unknown capacity, limited to M/VDA VVERRANZANO.
159.015/1531/0	FORMER-MAY USE	Type I, Model MTT-3-3, unknown capacity, limited to M/VDA NOLI.
159.015/1535/0	FORMER-MAY USE	Type II, Model SS-630 II VAR, 6910 GPD capacity, for uninspected vessels.

FAST SYSTEMS 3240 NORTH BROADWAY ST LOUIS MO 63147

159.015/0301/0	FORMER-MAY USE	Type II, Model Fast 15D, 650 GPD capacity, for inspected vessels.
159.015/0302/0	FORMER-MAY USE	Type II, Model Fast 12D, 360 GPD capacity, for inspected vessels.
159.015/0303/0	FORMER-MAY USE	Type II, Model Fast 18D, 540 GPD capacity, for inspected vessels.
159.015/0304/0	FORMER-MAY USE	Type II, Model Fast 25D, 750 GPD capacity, for inspected vessels.
159.015/0305/0	FORMER-MAY USE	Type II, Model Fast 40D, 1200 GPD capacity, for inspected vessel.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/0306/0	FORMER-MAY USE	Type I, Model Fast 200D, limited to Army Corps of Engineers Barge #7403,	for inspected vessel.s
159.015/0307/0	FORMER-MAY USE	Type II, Model Fast 9M, 9 persons capacity, for inspected vessels.	
159.015/0308/0	FORMER-MAY USE	Type II, Model Fast 18M, 18 persons capacity, for inspected vessels.	
159.015/0309/0	FORMER-MAY USE	Type II, Model Fast 40DGS1, 1200 GPD capacity, for inspected vessels.	
159.015/0310/0	FORMER-MAY USE	Type II, Model Fast 40DS2, 1200 GPD capacity, for uninspected vessels.	
159.015/0311/0	FORMER-MAY USE	Type II, Model Fast 40 DS3, 1200 GPD capacity, for inspected vessels.	
159.015/0312/0	FORMER-MAY USE	Type II, Model Fast 50D, 1500 GPD capacity, for inspected vessels.	
159.015/0313/0	FORMER-MAY USE	Type II, Model Fast 50D4, 1200 GPD capacity, for inspected vessels.	
159.015/0314/0	FORMER-MAY USE	Type II, Model Fast 8DNS, 2400 GPD capacity, for inspected vessels.	
159.015/0315/0	FORMER-MAY USE	Type II, Model Fast 6M, 6 perso ns capacity.	
159.015/0316/0	FORMER-MAY USE	Type II, Model Fast 13M, 14 persons capacity.	
159.015/0317/0	FORMER-MAY USE	Type II, Model Fast 1700DS, 1700 persons capacity.	
159.015/0318/0	FORMER-MAY USE	Type II, Model Fast 18D4, 1200 GPD capacity.	
159.015/0319/0	FORMER-MAY USE	Type II, Model Fast 40D4, 3240 GPD capacity.	
159.015/0320/0	FORMER-MAY USE	Type II, Model Fast 80D4, 6300 GPD capacity.	
159.015/0321/0	FORMER-MAY USE	Type II, Model Fast 26M, 3840 GPD capacity.	
159.015/0322/0	FORMER-MAY USE	Type II, Model Fast 38D4, 5700 GPD capacity.	
159.015/0323/0	FORMER-MAY USE	Type II, Model Fast 1250, 40 persons capacity.	
159.015/0324/0	FORMER-MAY USE	Type II, Model Fast 750, 25 persons capacity.	
159.015/0325/0	FORMER-MAY USE	Type II, Model Fast 880, 70 persons capacity.	
159.015/0326/0	FORMER-MAY USE	Type II, Model Fast 2150, 70 persons capacity.	
159.015/0327/0	FORMER-MAY USE	Type II, Model Fast 550, 10 persons capacity.	
159.015/0328/0	FORMER-MAY USE	Type II, Model Fast 2080, 200 persons capacity.	
159.015/0329/0	FORMER-MAY USE	Type II, Model Fast 1280, 125 persons capacity.	
159.015/0330/0	FORMER-MAY USE	Type II, Model Fast 32D4S, 32 persons capacity, limited to M/V\BELLE RIVER.	
159.015/0331/0	FORMER-MAY USE	Type II, Model B 35 D, 33 persons capacity.	
159.015/0333/0	FORMER-MAY USE	Type II, Model Fast LS2, 8 persons capacity.	
159.015/0334/0	FORMER-MAY USE	Type II, Model Fast LS3, 12 persons capacity.	
159.015/0335/0	FORMER-MAY USE	Type II, Model Fast 1100-RX, limited to M/S\CONSTELLATION.	
159.015/0336/0	FORMER-MAY USE	Type II, Model Retrofit NCL1200S, limited to M/S\SOUTHWARD.	
159.015/0337/0	FORMER-MAY USE	Type II, Model Retrofit NCL1200S, limited to M/S SKYWARD.	
159.015/0338/0	FORMER-MAY USE	Type II, Model Retrofit NCL1200S, limited to M/S\STARWARD.	
159.015/0339/0	FORMER-MAY USE	Type II, Model 1680-2R, 15500 GPD capacity.	
159.015/0340/0	FORMER-MAY USE	Type II, Model FAST 720D-RK, 21,700 GPD capacity.	
159.015/0356/0	FORMER-MAY USE	Type II, Model FAST M-6, 1515 GPD capacity.	
159.015/0357/0	FORMER-MAY USE	Type II, Model FAST 600D, unknown capacity, for uninspected vessels.	
159.015/0358/0	FORMER-MAY USE	Type II, Model L-4, 510 GPD capacity, for inspected vessels.	
159.015/0359/0	FORMER-MAY USE	Type II, Model L-5, 660 GPD capacity, for inspected vessels.	
159.015/0360/0	FORMER-MAY USE	Type II, Model L-6, 1290 GPD capacity, for inspected vessels.	
159.015/0361/0	FORMER-MAY USE	Type II, Model L-7, 2040 GPD capacity, for inspected vessels.	
159.015/0362/0	FORMER-MAY USE	Type II, Model L-8, 2910 GPD capacity, for inspected vessels.	
159.015/0363/0	FORMER-MAY USE	Type II, Model L-9, 45 00 GPD capacity, for inspected vessels.	

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/0365/0	FORMER-MAY USE	Type II, Model L-11, 7800 GPD capacity, for inspected vessels.
159.015/0366/0	FORMER-MAY USE	Type II, Model L-12, 9900 GPD capacity, for inspected vessels.
159.015/0367/0	FORMER-MAY USE	Type II, Model L-13, 12,300 GPD capacity, for inspected vessels.
159.015/0368/0	FORMER-MAY USE	Type II, Model L-14, 14700 GPD capacity, fro inspected vessels.
159.015/0369/0	FORMER-MAY USE	Type II, Model L-15, 17,400 GPD capacity, for inspected vessels.
159.015/0370/0	FORMER-MAY USE	Type II, Model 1350 DS, 15,180 GPD capacity, limited to Gulfspan Ferries.

FIRESTONE COATED FABRICS COMPANY PO BOX 869 MAGNOLIA AR 71753

159.015/2001/0	FORMER-MAY USE	Type III, Model Flexnfit #15, 15 gal. capacity.
159.015/2002/0	FORMER-MAY USE	Type III, Model Flexnfit #30, 30 gal. capacity.
159.015/2003/0	FORMER-MAY USE	Type III, Model Flexnfit #40, 40 gal. capacity.
159.015/2004/0	FORMER-MAY USE	Type III, Model Flexnfit #100, 100 gal. capacity.
159.015/2005/0	FORMER-MAY USE	Type III, Model 50, 50 gal. capacity.

GARDEN REACH SHIPBUILDERS & ENG. 43/46 GARDEN REACH ROAD CALCUTTA 700 024 INDIA

159.015/0681/0	FORMER-MAY USE	Type II Model Omnipure 4M, 1514 LPD capacity, for Inspected Vessels.
159.015/0682/0	FORMER-MAY USE	Model Omnipure 6M, 3028 LPD capacity, for Inspected Vessels.
159.015/0683/0	FORMER-MAY USE	Type II Model Omnipure 8M, 6318 LPD capacity, for inspected vessels.
159.015/0684/0	FORMER-MAY USE	Type II Model Omnipure 12M, 13627 LPD capacity, for inspected vessels.
159.015/0685/0	FORMER-MAY USE	Type II Model Omnipure 12MK, 28390 LPD capacity, for inspected vessels.
159.015/0686/0	FORMER-MAY USE	Type II Model Omnipure 15MX, 56781 LPD capacity, for inspected vessels.

GENERAL AMERICAN RESEARCH DIV GATX 7449 NATCHEZ AVENUE NILES IL 60648

159.015/1201/0	FORMER-MAY USE	Type III, Model ETS-II, 25 persons capacity.
159.015/1202/0	FORMER-MAY USE	Type I, Model MSS-I, 3840 GPD capacity.

HAMANN WASSERTECHNIK GMBH P O BOX 2201 D-21202 SEEVETAL GERMANY

159.015/6006/0	FORMER-MAY USE	Type II, Model HL-CONT Compact, 25000 GPD capacity, for uninspected	vessels.
159.015/6007/0	FORMER-MAY USE	Type II, Model HL-CONT Compt/A, 12500 GPD capacity, for uninspected	vessels.

HAMWORTHY CANADA, LTD 113-115 CUSHMAN ROAD ONTARIO ST CATHERINE CANADA

159.015/5901/0	FORMER-MAY USE	Type II, Model ST-2, 360 GPD capacity.
159.015/5903/0	FORMER-MAY USE	Type II, Model ST-6, 1080 GPD capacity.
159.015/5904/0	FORMER-MAY USE	Type II, Model ST-8, 1440 GPD capacity.
159.015/5905/0	FORMER-MAY USE	Type II, Model ST-10, 1800 GPD capacity.
159.015/5906/0	FORMER-MAY USE	Type II, Model ST-15, 2700 GPD capacity.
159.015/5907/0	FORMER-MAY USE	Type II, Model ST-20, 3600 GPD capacity.

HAMWORTHY PUMPS & COMPRESSORS LTD FLEETS CORNER DORSET POOLE ENGLAND

159.015/2308/0	FORMER-MAY USE	Type II, Model T-10, 180 GPD capacity.
159.015/2309/0	FORMER-MAY USE	Type II, Model T-20, 360 GPD capacity.
159.015/2310/0	FORMER-MAY USE	Type II, Model T-30, 540 GPD capacity.
159.015/2311/0	FORMER-MAY USE	Type II, Model T-40, 720 GPD capacity.
159.015/2312/0	FORMER-MAY USE	Type II, Model T-50, 900 GPD capacity.
159.015/2313/0	FORMER-MAY USE	Type II, Model T-60, 1080 GPD capacity.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/2314/0	FORMER-MAY USE	Type II, Model T-75, 1350 GPD capacity.
159.015/2315/0	FORMER-MAY USE	Type II, Model T-100, 1800 GPD capacity.
159.015/2322/0	FORMER-MAY USE	Type III, Model ST-2R, 20 persons capacity.
159.015/2323/0	FORMER-MAY USE	Type III , Model ST-4R, 40 persons capacity.
159.015/2324/0	FORMER-MAY USE	Type III, Model ST-6R, 60 persons capacity.
159.015/2325/0	FORMER-MAY USE	Type III, Model ST-8R, 80 persons capacity.
159.015/2326/0	FORMER-MAY USE	Type III, Model ST-10R, 700 persons capacity.
159.015/2330/0	FORMER-MAY USE	Type II, Model 150-S, 2700 GPD capacity.

HAMWORTHY USA 365 FRENCH ROAD BUFFALO NY 14227

159.015/5801/0	FORMER-MAY USE	Type II, Model ST-2, 360 GPD capacity.
159.015/5802/0	FORMER-MAY USE	Type II, Model ST-4, 720 GPD capacity.
159.015/5803/0	FORMER-MAY USE	Type II, Model ST-6, 1080 GPD capacity.
159.015/5804/0	FORMER-MAY USE	Type II, Model ST-8, 1440 GPD capacity.
159.015/5805/0	FORMER-MAY USE	Type II, Model ST-10, 1800 GPD capacity.
159.015/5806/0	FORMER-MAY USE	Type II, Model ST-15, 2700 GPD capacity.
159.015/5808/0	FORMER-MAY USE	Type III, Model ST-6R, 1080 GPD capacity, limited to M/V DAVID STAIR JORDAN .

HEISHIN ENGINEERING AND EQUIPMENT MISAKI HONMACHI 1-1-54 HYOGO-KU KOBE 652 JAPAN

159.015/2601/0	FORMER-MAY USE	Type II, Model Cleardam PS-40, 470 GPD capacity.
159.015/2602/0	FORMER-MAY USE	Type III, Model Cleardam PS/CR-40, 470 GPD capacity.
159.015/2603/0	FORMER-MAY USE	Type III, Model Cleardam PS/CR-80, 780 GPD capacity.
159.015/2604/0	FORMER-MAY USE	Type II, Model Cleardam PS-80, 780 GPD capacity.

HYDE PRODUCTS INC. 28045 RANNEY PARKWAY CLEVELAND OH 44145

159.015/1901/0	FORMER-MAY USE	Type II, Model Ship Sewage Treatment System, 6000 GPD capacity.
----------------	----------------	---

INTERNATIONAL WATERSAVING SYSTEMS PO BOX 605 AVON MA 02322

159.015/0901/0	FORMER-MAY USE	Type I, Model Nautromatic 350, 4 uses/hr. capacity.
159.015/0903/0	FORMER-MAY USE	Type I, Model IWSS Sys 1000SA, 4 persons capacity.
159.015/0904/0	FORMER-MAY USE	Type I, Model IWSS Sys 1000 E, 4 persons capacity.
159.015/0905/0	FORMER-MAY USE	Type I, Model IWSS Sys 1000 R, 4 persons capacity.

ISHIDA SENPAKU KOGYO CO SERITA BLDG 5 3 13 MINAMI SHINAGAWA SHINAGAWA-KU TOKYO JAPAN

159.015/7901/0	FORMER-MAY USE	Type II, Model STS-2, unknown capacity.
159.015/7902/0	FORMER-MAY USE	Type II, Model STS-3, unknown capacity.
159.015/7903/0	FORMER-MAY USE	Type II, Model STS-4, unknown capacity.
159.015/7904/0	FORMER-MAY USE	Type II, Model FORTUNE, unknown capacity.
159.015/7905/0	FORMER-MAY USE	Type II, Model FREEDOM, unknown capacity.

ISHIKAWAJIMA-HARIMA HEAVY IND YOKOHAMA SHIPYARD 12 SHIN-SUGITA-CHO ISOGO YOKOHAMA JAPAN

159.015/7001/0	FORMER-MAY USE	Type II, Model STS-2, 40 persons capacity.
159.015/7002/0	FORMER-MAY USE	Type II, Model STS-3, 60 persons capacity.
159.015/7003/0	FORMER-MAY USE	Type II, Model STS-4, 80 persons capacity.
159.015/7004/0	FORMER-MAY USE	Type II, Model FORTUNE, 80 persons capacity.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/7005/0 FORMER-MAY USE Type II, Model FREEDOM, 80 persons capacity.

JAPAN DEVELOPMENT CONSULTANTS INC 1 TATAGAMI-CHO NAGASAKI SASEBO-CITY JAPAN

159.015/0081/0 FORMER-MAY USE Type II, Model CLEAN FRIEND, 554 GPD capacity.

KIMCO INC PO BOX 1551 HOUSTON TX 77251

159.015/8201/0 FORMER-MAY USE Type II, Model HF 5M, 100 GPD capacity, for inspected vessels.
 159.015/8202/0 FORMER-MAY USE Type II, Model HF 10M, 200 GPD capacity, for inspected vessels.
 159.015/8203/0 FORMER-MAY USE Type II, Model HF 13M, 260 GPD capacity, for inspected vessels.
 159.015/8204/0 FORMER-MAY USE Type II, Model HF 19M, 380 GPD capacity, for inspected vessels.
 159.015/8205/0 FORMER-MAY USE Type II, Model HF 26M, 520 GPD capacity, for inspected vessels.
 159.015/8206/0 FORMER-MAY USE Type II, Model HF 32M, 640 GPD capacity, for inspected vessels.
 159.015/8207/0 FORMER-MAY USE Type II, Model HF 41M, 820 GPD capacity, for inspected vessels.
 159.015/8208/0 FORMER-MAY USE Type II, Model HF 58M, 1160 GPD capacity, for inspected vessels.
 159.015/8209/0 FORMER-MAY USE Type II, Model HF 71M, 1420 GPD capacity, for inspected vessels.
 159.015/8210/0 FORMER-MAY USE Type II, Model HF 84M, 1680 GPD capacity, for inspected vessels.
 159.015/8211/0 FORMER-MAY USE Type II, Model HF 104M, 2080 GPD capacity, for inspected vessels.
 159.015/8212/0 FORMER-MAY USE Type II, Model HF 130M, 2600 GPD capacity, for inspected vessels.
 159.015/8213/0 FORMER-MAY USE Type II, Model HF 156M, 3120 GPD capacity, for inspected vessels.
 159.015/8214/0 FORMER-MAY USE Type II, Model HF 175M, 3500 GPD capacity, for inspected vessels.
 159.015/8215/0 FORMER-MAY USE Type II, Model HF 188M, 3760 GPD capacity, for inspected vessels.
 159.015/8216/0 FORMER-MAY USE Type II, Model HF 208M, 4160 GPD capacity, for inspected vessels.
 159.015/8217/0 FORMER-MAY USE Type II, Model HF 234M, 4680 GPD capacity, for inspected vessels.
 159.015/8218/0 FORMER-MAY USE Type II, Model HF 292M, 5840 GPD capacity, for inspected vessels.
 159.015/8219/0 FORMER-MAY USE Type II, Model HF 325M, 6500 GPD capacity, for inspected vessels.
 159.015/8220/0 FORMER-MAY USE Type II, Model HF 357M, 7140 GPD capacity, for inspected vessels.
 159.015/8221/0 FORMER-MAY USE Type II, Model HF 390M, 7800 GPD capacity, for inspected vessels.
 159.015/8222/0 FORMER-MAY USE Type II, Model HF 455M, 9100 GPD capacity, for inspected vessels.
 159.015/8223/0 FORMER-MAY USE Type II, Model HF 2M, 40 GPD capacity, for inspected vessels.

KOEHLER MANUFACTURING CO BOX R MARLBORO MA 01752

159.015/1301/0 FORMER-MAY USE Type III, Model Konvert-a-Head, 22 flushes capacity.

KOEHLER-DAYTON PO BOX 309 NEW BRITAIN CT 06050

159.015/1302/0 FORMER-MAY USE Type I, Model Enviro-Mac, 1730 GPD capacity.
 159.015/1303/0 FORMER-MAY USE Type I, Model Enviro-Mac II, 1730 GPD capacity.

KVAERNER ROSENBERG A/S MOSS VERFT P.O. BOX 1053 MOSS NORWAY

159.015/4501/0 FORMER-MAY USE Type II, Model CP-40, 1500 GPD capacity.
 159.015/4502/0 FORMER-MAY USE Type II, Model CP-65, 2433 GPD capacity.
 159.015/4503/0 FORMER-MAY USE Type II, Model CP-80, 2995 GPD capacity.
 159.015/4504/0 FORMER-MAY USE Type II, Model CP-20, 750 GPD capacity.
 159.015/4505/0 FORMER-MAY USE Type II, Model CP-30, 1125 GPD capacity.
 159.015/4506/0 FORMER-MAY USE Type II, Model CP-50, 1875 GPD capacity.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/4507/0	FORMER-MAY USE	Type II, Model CPR-20, 750 GPD capacity.
159.015/4508/0	FORMER-MAY USE	Type II, Model CPR-30, 1125 GPD capacity.
159.015/4509/0	FORMER-MAY USE	Type II, Model CPR-40, 1500 GPD capacity.
159.015/4510/0	FORMER-MAY USE	Type II, Model CPR-50, 1875 GPD capacity.
159.015/4511/0	FORMER-MAY USE	Type II, Model CPR-65, 2433 GPD capacity.
159.015/4512/0	FORMER-MAY USE	Type II, Model CPR-80, 2995 GPD capacity.

MARINE VENTURES, LTD FIFTH FLOOR 8 WATERLOO PLACE LONDON UNITED KINGDOM

159.015/9401/0	FORMER-MAY USE	Type II, Model Seacare 10, 10 persons capacity.
159.015/9402/0	FORMER-MAY USE	Type II, Model Seacare 40, 40 persons capacity.
159.015/9403/0	FORMER-MAY USE	Type II, Model Seacare 200, 200 persons capacity.

MONOGRAM SANITATION A NORTEK COMPANY 4030 FREEMAN BLVD REDONDO BEACH CA 90278

159.015/0201/0	FORMER-MAY USE	Type I, Model MONOTRON 764, limited capacity.
159.015/0202/0	FORMER-MAY USE	Type III, Model Handihead 158, 50 uses capacity.
159.015/0203/0	FORMER-MAY USE	Type III, Model NEWMATIC 53420, 80 uses capacity.
159.015/0204/0	FORMER-MAY USE	Type III, Model Monomatic 641, 80 uses capacity.
159.015/0205/0	FORMER-MAY USE	Type III, Model 55000-002, 10 gal. capacity.

NISSIN REFRIGERATION & ENG 1-12-30 MIKUNIHONMACHI YODOGAWA-KU OSAKA JAPAN

159.015/5101/0	FORMER-MAY USE	Type II, Model NST-30, 530 GPD capacity.
159.015/5102/0	FORMER-MAY USE	Type II, Model NST-40, 705 GPD capacity.
159.015/5103/0	FORMER-MAY USE	Type II, Model NST-50, 875 GPD capacity.
159.015/5104/0	FORMER-MAY USE	Type II, Model NST-60, 1060 GPD capacity.
159.015/5105/0	FORMER-MAY USE	Type II, Model NST-70, 1235 GPD capacity.
159.015/5106/0	FORMER-MAY USE	Type II, Model NST-80, 1235 GPD capacity.
159.015/5107/0	FORMER-MAY USE	Type II, Model NST-90, 1590 GPD capacity.
159.015/5108/0	FORMER-MAY USE	Type II, Model NST-100, 1765 GPD capacity.
159.015/5109/0	FORMER-MAY USE	Type II, Model NST-125, 2200 GPD capacity.
159.015/5110/0	FORMER-MAY USE	Type II, Model NST-150, 2652 GPD capacity.
159.015/5111/0	FORMER-MAY USE	Type II, Model NST-20, 20 persons capacity.
159.015/5112/0	FORMER-MAY USE	Type II, Model NST-300, 300 persons capacity.
159.015/5113/0	FORMER-MAY USE	Type II, Model NST-400, 400 persons capacity.
159.015/5114/0	FORMER-MAY USE	Type II, Model NST-500, 500 persons capacity.
159.015/5115/0	FORMER-MAY USE	Type II, Model NST-650, 650 persons capacity.
159.015/5116/0	FORMER-MAY USE	Type II, Model NST-750, 750 persons capacity.

P & O CRUISES DUKES KEEP MARSH LANE SOUTHAMPTON UNITED KINGDOM

159.015/8401/0	FORMER-MAY USE	Type III, specific unit, limited to M/V/PACIFIC PRINCESS.
159.015/8402/0	FORMER-MAY USE	Type III, specific unit, limited to M/V/ISL AND PRINCESS.

PARMATIC POLLUTION CONTROL CORP. 88 FORD ROAD DENVER NJ

159.015/4601/0	FORMER-MAY USE	Type I, Model STS-1, 3600 GPD capacity.
159.015/4602/0	FORMER-MAY USE	Type I, Model STS-IM(C/D), 3600 GPD capacity.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/4603/0	FORMER-MAY USE	Type I, Model STS-IM(A/D), 3600 GPD capacity.
159.015/4604/0	FORMER-MAY USE	Type I, Model STS-1P, limited to M/V STATENDAM.
159.015/4605/0	FORMER-MAY USE	Type I, Model STS-1P, limited to M/V MONARCH STAR.
159.015/4607/0	FORMER-MAY USE	Type I, Model STS-1P, limited to M/V VOLENDAM.
159.015/4609/0	FORMER-MAY USE	Type I, Model STS-1P, limited to M/V ROTTERDAM.
159.015/4610/0	FORMER-MAY USE	Type I, Model STS-1P, limited to M/V DORIC.
159.015/4611/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/V POLAR ECUADOR.
159.015/4612/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/V PYTHIA.
159.015/4616/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/V MARYLISA.
159.015/4617/0	FORMER-MAY USE	Type I, Model STS-1P, limited to M/V SAGAFJORD.
159.015/4618/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/V CLEANTHES.
159.015/4619/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/V ARMONIA.
159.015/4620/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/V KARIN VATIS.
159.015/4625/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/V POLAR ARGENTINA.
159.015/4626/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/V VOMAR.
159.015/4627/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/V LAURENTIAN FOREST.
159.015/4628/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/V ICAROS.
159.015/4629/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/V CARYATIS.
159.015/4630/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/V AIOLOS.
159.015/4631/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/V WINSTON.
159.015/4632/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/V APJ PRIYA.
159.015/4633/0	FORMER-MAY USE	Type I, Model STS-IM (A/D), Ltd. to M/V MARTHA ENVOY.
159.015/4634/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/S ION.
159.015/4635/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/V ZEPHYROS.
159.015/4636/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/V DIMITROIS.
159.015/4637/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/V MORMACGLEN.
159.015/4638/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/V FAETHON.
159.015/4639/0	FORMER-MAY USE	Type I, Model STS-IM (A/D), limited to M/V MIHALIS.
159.015/4640/0	FORMER-MAY USE	Type II, Model STS-II (A/D), unknown capacity, for uninspected vessels.
159.015/4641/0	FORMER-MAY USE	Type II, Model STS-II (A/D), limited to M/T SEALION.
159.015/4642/0	FORMER-MAY USE	Type II, Model STS-IIP, 12,000 GPD capacity, limited to U.S.N.S. HARKNESS.
159.015/4643/0	FORMER-MAY USE	Type II, Model STS-IIP, 12,000 GPD capacity, limited to U.S.N.S. CHAUVENET.

PAUL PLEIGER MASCHINENFABRIK POSTFACH 3263 5810 WITTEN 3 (HERBEDE) GERMANY

159.015/0281/0	FORMER-MAY USE	Type I, Model BIOMAT, 581 GPD capacity.
159.015/0283/0	FORMER-MAY USE	Type II, Model BIOMAT BS-20.

POMORSKIE ZAKLADY URZADEN OKRETOWYCH GRUDZIUDZ POLAND

159.015/5001/0	FORMER-MAY USE	Type II, Model LK-30, 30 persons capacity.
159.015/5002/0	FORMER-MAY USE	Type II, Model LK-50, 50 persons capacity.
159.015/5003/0	FORMER-MAY USE	Type II, Model LK-100, 100 persons capacity.
159.015/5004/0	FORMER-MAY USE	Type II, Model LK-200, 200 persons capacity.
159.015/5005/0	FORMER-MAY USE	Type II, Model LK-320, 300 persons capacity.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

RARITAN ENGINEERING CO INC 530 ORANGE STREET PO BOX 1157 MILLVILLE NJ 08332

159.015/0101/0	FORMER-MAY USE	Type I, Model Lectra/San 12, 4 persons capacity, for uninspected vessels.
159.015/0102/0	FORMER-MAY USE	Type I, Model Lectra/San 32, 4 persons capacity, for uninspected vessels.
159.015/1701/0	FORMER-MAY USE	Type III, Model CHTT, 5 gal. capacity.
159.015/1702/0	FORMER-MAY USE	Type III, Model RHT 15, 15 gal. capacity.
159.015/1703/0	FORMER-MAY USE	Type III, Model RHT 30, 30 gal. capacity.

REC INC PO BOX 447 GREENVILLE MS

159.015/9101/0	FORMER-MAY USE	Type III, Model Crounse, 540 GPD capacity, for uninspected vessels.
----------------	----------------	---

RED FOX ENVIRONMENTAL SERVICE INC P.O. BOX 53809 LAFAYETTE LA

159.015/0641/0	FORMER-MAY USE	Type II, Model RF-250 GPM-MCL, limited to S/S\EMERALD SEAS.
159.015/0669/0	FORMER-MAY USE	Type II, Model Fox Pac FP2000, 2000 GPD capacity.

SANITATION DEVICES 935 ST PETER STREET NEW ORLEANS LA 70116

159.015/0501/0	FORMER-MAY USE	Type III, Model Aqua-Sans A, 140 UPD capacity.
159.015/0502/0	FORMER-MAY USE	Type III, Model Aqua-Sans A/S, 140 UPD capacity.
159.015/0503/0	FORMER-MAY USE	Type III, Model Aqua-Sans A/B-1, 245 UPD capacity.
159.015/0504/0	FORMER-MAY USE	Type III, Model Aqua-Sans A/B-2, 420 UPD capacity.
159.015/0505/0	FORMER-MAY USE	Type III, Model Aqua-Sans B, 1015 UPD capacity.

SANITATION EQUIPMENT LTD 1081 ALNESS STREET ONTARIO DOWNSVIEW CANADA

159.015/2101/0	FORMER-MAY USE	Type III, Model Potpourri 707, 60 flushes capacity, uninspected vessels.
159.015/2102/0	FORMER-MAY USE	Type III, Model I Potpourri 737, 90 flushes capacity uninspected vessels.
159.015/8301/0	FORMER-MAY USE	Type III, Model PASSPORT 430, unknown capacity, uninspected vessels.
159.015/8302/0	FORMER-MAY USE	Type III, Model PASSPORT 470, unknown capacity, uninspected vessels.
159.015/8303/0	FORMER-MAY USE	Type III, Model PASSPORT 570, unknown capacity, uninspected vessels.

SCHMIDT ENVIRONMENTAL PRODUCTS 4540 EAST 60TH AVENUE COMMERCE CITY CA 80022

159.015/4801/0	FORMER-MAY USE	Type II, Model MSD-40, 4000 GPD capacity.
159.015/4802/0	FORMER-MAY USE	Type II, Model MSD-80, 8000 GPD capacity.

SEALAND TECHNOLOGY INC FOURTH STREET PO BOX 38 BIG PRAIRIE OH 44611

159.015/1401/0	FORMER-MAY USE	Type III, Model 300 Series, 12-42 gal. capacity.
159.015/1403/0	FORMER-MAY USE	Type III, Model 600 Series, 12-42 gal. capacity.
159.015/1405/0	FORMER-MAY USE	Type III, Model 912-M28, 8.25 gal. capacity.
159.015/1407/0	FORMER-MAY USE	Type I, Model TDX, 480 GPD capacity, for inspected vessels.
159.015/1408/0	FORMER-MAY USE	Type I, Model TDX, 480 GPD capacity, for inspected vessels.
159.015/1409/0	FORMER-MAY USE	Type I, Model TDX-S, 480 GPD capacity, for inspected vessels.
159.015/1410/0	FORMER-MAY USE	Type III, Model 913-M28, 8.25 gal. capacity, for inspected vessels.

SITMAR CRUISES LEVEL 18,COMMERCIAL TOWER MARITIME CENTRE,201 KENT NWS SYDNEY, 2000 AUSTRALIA

159.015/7101/0	FORMER-MAY USE	Type I, limited to TSS FAIRSEAS & TSS FAIRWINDS.
----------------	----------------	--

SOUTHERN TOWING CO 1874 THOMAS RD. MEMPHIS TN 38134

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/8701/0 FORMER-MAY USE Type II, Model Crounse Type II, 540 GPD capacity.

STANDARD PRODUCTS CO PRODUCT DEVELOPMENT DIV 2401 SOUTH GULLEY ROAD DEARBORN MI 48124

159.015/4401/0 FORMER-MAY USE Type III, Model Pyrosan, 8 persons capacity.

TAKUMA CO, LTD 16 DOJIMA NAKA 1-CHOME KITA-KU OSAKA JAPAN

159.015/3601/0 FORMER-MAY USE Type III, Model Aqua-Sans A, 20 persons capacity.

159.015/3602/0 FORMER-MAY USE Type III, Model Aqua-Sans AB-1, 30 persons capacity.

159.015/3603/0 FORMER-MAY USE Type III, Model Aqua-Sans AB-2, 60 persons capacity.

159.015/3604/0 FORMER-MAY USE Type III, Model Aqua-Sans B, 145 persons capacity.

THETFORD MARINE SANITATION 7101 JACKSON ROAD ANN ARBOR MI 48106

159.015/1801/0 FORMER-MAY USE Type III, Model Sea Farer, 50 flushes capacity, for inspected vessels.

159.015/1802/0 FORMER-MAY USE Type III, Model Porta Potti, 50 flushes capacity, for inspected vessels.

159.015/1803/0 FORMER-MAY USE Type III, Model Penta Potti, 50 flushes capacity, for inspected vessels.

159.015/1804/0 FORMER-MAY USE Type III, Model Electra Magic, 50 flushes capacity.

159.015/1805/0 FORMER-MAY USE Type III, Model Aquamate, 8-10 persons capacity.

TOKO SEIKI CO, LTD 6-9-13 MEGURO-HONMACHI MEGURO-KU TOKYO JAPAN

159.015/4201/0 FORMER-MAY USE Type II, Model AWWU Discharge, 9360 GPD capacity, for uninspected vessels.

159.015/4202/0 FORMER-MAY USE Type III, Model AWWU No Discge, 9360 GPD capacity, for uninspected vessels.

TRIDENTE INDUSTRIA LTD AV RIO BRANCO 4-4 ANDAR RIO DE JANEIRO BRAZIL

159.015/6401/0 FORMER-MAY USE Type II, Model ST-2, 360 GPD capacity, for uninspected vessels.

159.015/6402/0 FORMER-MAY USE Type II, Model ST-4, 720 GPD capacity, for uninspected vessels.

159.015/6403/0 FORMER-MAY USE Type II, Model ST-6, 1040 GPD capacity, for uninspected vessels.

159.015/6404/0 FORMER-MAY USE Type II, Model ST-8, 1440 GPD capacity, for uninspected vessels.

159.015/6405/0 FORMER-MAY USE Type II, Model ST-10, 1800 GPD capacity, for uninspected vessels.

159.015/6406/0 FORMER-MAY USE Type II, Model ST-15, 2700 GPD capacity, for uninspected vessels.

159.015/6407/0 FORMER-MAY USE Type II, Model ST-20, 3600 GPD capacity, for uninspected vessels.

159.015/6408/0 FORMER-MAY USE Type II, Model RT-2, 360 GPD capacity, uninspected vessels.

159.015/6409/0 FORMER-MAY USE Type II, Model RT-4, 720 GPD capacity, for uninspected vessels.

159.015/6410/0 FORMER-MAY USE Type II, Model RT-6, 1080 GPD capacity, for uninspected vessels.

159.015/6411/0 FORMER-MAY USE Type II, Model RT-8, 1440 GPD capacity., for uninspected vessels.

159.015/6412/0 FORMER-MAY USE Type II, Model ST-25, 4500 GPD capacity, for uninspected vessels.

159.015/6413/0 FORMER-MAY USE Type II, Model ST-30, 5400 GPD capacity, for uninspected vessels.

U.S. ARMY CORPS OF ENGINEERS HUNTINGTON DISTRICT PO BOX 2127 HUNTINGTON WV 25721

159.015/9301/0 FORMER-MAY USE Type II, Model Type II Existing Tank, unknown capacity.

VOLCANO CO, LTD 3 38 1 CHOME NONAKA-KITA YODOGAWA-KU OSAKA 532 JAPAN

159.015/6901/0 FORMER-MAY USE Type III, Model ThermalJohn-VTJ, 5 persons capacity.

WILCOX-CRITTENDEN DIVISION GULF & WESTERN CORP PO BOX 1111 MIDDLETOWN CT 06457

159.015/0401/0 FORMER-MAY USE Type III, Model 6012, 10 gal. capacity.

159.015/0402/0 FORMER-MAY USE Type III, Model 6013, 17 gal. capacity.

U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

159.015/0403/0 FORMER-MAY USE Type III, Model 6014, 25 gal. capacity.

WILLI BECKER INGENIEURBURO

DANZIGER STRASSE 1 HAMBURG 1 2000 GERMANY

159.015/9001/0	FORMER-MAY USE	Type II, Model HF 5 M, 100 GPD capacity, for uninspected vessels.
159.015/9002/0	FORMER-MAY USE	Type II, Model HF 10 M, 200 GPD capacity, for uninspected vessels.
159.015/9003/0	FORMER-MAY USE	Type II, Model HF 13 M, 260 GPD capacity, for uninspected vessels.
159.015/9004/0	FORMER-MAY USE	Type II, Model HF 19 M, 330 GPD capacity, for uninspected vessels.
159.015/9005/0	FORMER-MAY USE	Type II, Model HF 26 M, 520 GPD capacity, for uninspected vessels.
159.015/9006/0	FORMER-MAY USE	Type II, Model HF 32 M, 640 GPD capacity, for uninspected vessels.
159.015/9007/0	FORMER-MAY USE	Type II, Model HF 41 M, 820 GPD capacity, for uninspected vessels.
159.015/9008/0	FORMER-MAY USE	Type II, Model HF 58 M, 1160 GPD capacity, for uninspected vessels.
159.015/9009/0	FORMER-MAY USE	Type II, Model HF 71 M, 1420 GPD capacity, for uninspected vessels.
159.015/9010/0	FORMER-MAY USE	Type II, Model HF 84 M, 1680 GPD capacity, for uninspected vessels.
159.015/9011/0	FORMER-MAY USE	Type II, Model HF 104 M, 2080 GPD capacity, for uninspected vessels.
159.015/9012/0	FORMER-MAY USE	Type II, Model HF 130 M, 2600 GPD capacity, for uninspected vessels.
159.015/9013/0	FORMER-MAY USE	Type II, Model HF 156 M, 3120 GPD capacity, for uninspected vessels.
159.015/9014/0	FORMER-MAY USE	Type II, Model HF 175 M, 3500 GPD capacity, for uninspected vessels.
159.015/9015/0	FORMER-MAY USE	Type II, Model HF 188 M, 3760 GPD capacity, for uninspected vessels.
159.015/9016/0	FORMER-MAY USE	Type II, Model HF 208 M, 4160 GPD capacity, for uninspected vessels.
159.015/9017/0	FORMER-MAY USE	Type II, Model HF 234 M, 4680 GPD capacity, for uninspected vessels.
159.015/9018/0	FORMER-MAY USE	Type II, Model HF 292 M, 5840 GPD capacity, for uninspected vessels.
159.015/9019/0	FORMER-MAY USE	Type II, Model HF 325 M, 6500 GPD capacity, for uninspected vessels.
159.015/9020/0	FORMER-MAY USE	Type II, Model HF 357 M, 7140 GPD capacity, for uninspected vessels.
159.015/9021/0	FORMER-MAY USE	Type II, Model HF 390 M, 7800 GPD capacity, for uninspected vessels.
159.015/9022/0	FORMER-MAY USE	Type II, Model HF 455 M, 9100 GPD capacity, for uninspected vessels.

WILSON WALTON INTERNATIONAL, INC 66 HUDSON STREET PO BOX M-890 HOBOKEN NJ 07030

159.015/2401/0	FORMER-MAY USE	Type II, Model WE-60 Flowthru, 1800 GPD capacity, for inspected vessels.
159.015/2402/0	FORMER-MAY USE	Type III, Model WE-60 Recirc, 60 persons capacity, for inspected vessels.

WILSON WATER PURIFICATION CO 2371 BROADWAY BUFFALO NY 14212

159.015/3401/0	FORMER-MAY USE	Type II, Model MA-CL-15-600, 600 GPD capacity.
159.015/3402/0	FORMER-MAY USE	Type II, Model MA-CL-25-1000, 1000 GPD capacity, for uninspected vessels.
159.015/3403/0	FORMER-MAY USE	Type II, Model MA-CL-50-2000, 2000 GPD capacity, for uninspected vessels.